

Indicators of Alcohol and Other Drug Risk and Consequences for California Counties



Indicators of Alcohol and Other Drug Risk and Consequences for California Counties



CENTER FOR APPLIED RESEARC

TABLE OF CONTENTS

| Intro | ducti | on | | 1 |
|---------------|--------|-------|--|----|
| Key F | indin | ıgs | | 3 |
| Sumn | nary | of K | ey Indicators of Community Alcohol and Drug UseUse | 5 |
| Indic | ator | 1 · P | Prevalence of Past Year Binge Drinking | |
| Table/l | | | | _ |
| , | O | | Year with Comparison to State Rates | 6 |
| Table/ | Figure | 1.2 | Estimated Number of Persons 18 Years and Older Reporting Any Binge Drinking in the Past Year by Gender | 6 |
| Table | | 1.3 | Estimated Number of Persons 18 Years and Older Reporting Any Binge Drinking in the Past Year by Race/Ethnicity | 7 |
| Figure | | 1.3 | Past Year Binge Drinking in El Dorado County by Race/Ethnicity | 7 |
| Table | | 1.4 | Estimated Number of Persons 18 Years and Older Reporting Any Binge Drinking in the Past Year by Age Category | 8 |
| Figure | | 1.4 | Past Year Binge Drinking in El Dorado County by Age Category | 8 |
| Indic | ator | 2 · A | dmissions to Alcohol and Other Drug Treatment | |
| | | | Clarifications | 9 |
| Table | 2.1 | Num | ber of Admissions to Alcohol and Other Drug Treatment and Rate per 100,000 Total Population with parison to Statewide Rates | |
| Figure | | | orado County Treatment Admission Rate per 100,000 Total Population with Comparison to Statewide Rates | |
| _ | | Adm | issions to Alcohol and Other Drug Treatment by Client Gender, Rate per 100,000 Population, and Percent of I Admissions | |
| Figure | 2.2 | | orado County Treatment Admission Rate per 100,000 Population by Client Gender | |
| Table | | | tment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 Population | |
| Figure | 2.3 | El Do | orado County Treatment Admission Rate per 100,000 Population by Primary Drug TypeType | 11 |
| Table | 2.4 | | issions to Alcohol and Other Drug Treatment by Client Race/Ethnicity, Rate per 100,000 Population, and ent of Total Admissions | 12 |
| Figure | 2.4 | El Do | orado County Treatment Admission Rate per 100,000 Population by Client Race/Ethnicity | 12 |
| Table | 2.5 | | issions to Alcohol and Other Drug Treatment by Client Age Category, Rate per 100,000 Population, and ent of Total Admissions | 13 |
| Figure | 2.5 | El Do | orado County Treatment Admission Rate per 100,000 Population by Client Age Category | 13 |
| Table | 2.6 | Char | acteristics of Clients Admitted to Alcohol and Other Drug Treatment and Rate per 100,000 Population | 14 |
| Figure | 2.6 | El Do | orado County Age of Substance Use Initiation Rate per 100,000 Population | 14 |
| Table | | | Treatment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 lation 0 to 17 Years | 15 |
| Figure | 2.7 | El Do | orado County Underage Treatment Admission Rate per 100,000 Population 0 to 17 by Primary Drug Type | 15 |
| Table | | | Treatment Admissions among Youth Under Age 18 by Gender and Client Race/Ethnicity, Rate per 100,000 llation 0 to 17, and Percent of Total Admissions | 16 |
| <u>In</u> dic | ator | 3: A | arrests for Drug-Related Crime | |
| Table | | | ber of Arrests for Felony and Misdemeanor Drug Offenses and Rate per 100,000 Population 10 to 69 Years Comparison to Statewide Rates | 17 |
| Figure | 3.1 | El Do | orado County Drug Arrest Rate per 100,000 Population 10 to 69 with Comparison to Statewide Rates | 17 |
| Table | 3.2 | | ber of Arrests for Felony and Misdemeanor Drug Offenses by Offender Gender, Rate per 100,000 Population 69 Years, and Percent of Total Drug Arrests | 17 |

| Figure | 3.2 | El Dorado County Drug Arrest Rate per 100,000 Population 10 to 69 by Offender Gender | 17 |
|--------|------|---|----|
| Table | 3.3 | Number of Arrests for Felony and Misdemeanor Drug Offenses by Specific Offense, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Drug Arrests | 18 |
| Figure | 3.3 | El Dorado County Drug Arrest Rate per 100,000 Population 10 to 69 by Specific Offense | 18 |
| Table | 3.4 | Number of Arrests for Felony and Misdemeanor Drug Offenses by Offender Race/Ethnicity, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Drug Arrests | 19 |
| Figure | 3.4 | El Dorado County Drug Arrest Rate per 100,000 Population 10 to 69 by Offender Race/Ethnicity | 19 |
| Table | 3.5 | Number of Arrests for Felony and Misdemeanor Drug Offenses by Offender Age Category, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Drug Arrests | 20 |
| Figure | 3.5 | El Dorado County Drug Arrest Rate per 100,000 Population by Offender Age Category | 20 |
| Table | 3.6 | Number of Arrests for Felony and Misdemeanor Drug Offenses by Gender and Race/Ethnicity among Underage Offenders, Rate per 100,000 Population 10 to 17 Years, and Percent of Total Drug Arrests | 21 |
| Indic | ator | 4: Arrests for Alcohol-Related Crime | |
| Table | 4.1 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses and Rate per 100,000 Population 10 to 69 Years with Comparison to Statewide Rates | 22 |
| Figure | 4.1 | El Dorado County Alcohol Arrest Rate per 100,000 Population 10 to 69 with Comparison to Statewide Rates | 22 |
| Table | 4.2 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Offender Gender, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Alcohol Arrests | 22 |
| Figure | 4.2 | El Dorado County Alcohol Arrest Rate per 100,000 Population 10 to 69 by Offender Gender | 22 |
| Table | 4.3 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Specific Offense, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Alcohol Arrests | 23 |
| Figure | 4.3 | El Dorado County Alcohol Arrest Rate per 100,000 Population 10 to 69 by Specific Offense | 23 |
| Table | 4.4 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Offender Race/Ethnicity, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Alcohol Arrests | 24 |
| Figure | 4.4 | El Dorado County Alcohol Arrest Rate per 100,000 Population 10 to 69 by Offender Race/Ethnicity | 24 |
| Table | 4.5 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Offender Age Category, Rate per 100,000 Population, and Percent of Total Alcohol Arrests | 25 |
| Figure | 4.5 | El Dorado County Alcohol Arrest Rate per 100,000 Population by Offender Age Category | 25 |
| Table | 4.6 | Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Gender and Race/Ethnicity among Underage Offenders, Rate per 100,000 Population 10 to 17 Years, and Percent of Total Alcohol Arrests | 26 |
| Indic | ator | 5: Alcohol-Involved Motor Vehicle Accidents | |
| Table | 5.1 | El Dorado County Fatalities in Alcohol-Involved Accidents and Rate per 100,000 Total Population with Comparison to Statewide Rates | 27 |
| Figure | 5.1 | El Dorado County Alcohol-Involved Accident Fatality Rate per 100,000 Total Population with Comparison to Statewide Rates | 27 |
| Table | 5.2 | Parties in Alcohol-Involved Accidents Who 'Had Been Drinking' by Party Gender, Rate per 100,000 Population, and Percent of Total | 27 |
| Figure | 5.2 | El Dorado County 'Had Been Drinking' Driver Rate per 100,000 Population, by Party Gender | 27 |
| Table | 5.3 | El Dorado County Alcohol-Involved Accidents by Injury Severity, Rate per 100,000 Total Population, and Percent of Total | 28 |
| Figure | 5.3 | El Dorado County Alcohol-Involved Rate per 100,000 Total Population, by Injury Severity | 28 |
| Table | 5.4 | Parties in Alcohol-Involved Accidents Who 'Had Been Drinking' by Party Race/Ethnicity, Rate per 100,000 Population, and Percent of Total | 29 |
| Figure | 5.4 | El Dorado County 'Had Been Drinking' Driver Rate per 100,000 Population, by Party Race/Ethnicity | 29 |
| Table | 5.5 | Parties in Alcohol-Involved Accidents Who 'Had Been Drinking' by Party Age Category, Rate per 100,000 Population, and Percent of Total | 30 |
| Figure | 5.5 | El Dorado County 'Had Been Drinking' Driver Rate per 100,000 Population, by Party Age Category | 30 |

Indicator 6: Hospitalization Due to Alcohol and Drug Use

| Table | 6.1 | Hospitalizations Due to Alcohol- and Drug-Related Causes (Combined) and Rate per 100,000 Total Population with Comparison to Statewide Rates | 31 |
|--------|------|---|----|
| Figure | 6.1 | El Dorado County Alcohol- and Drug-Related Hospitalization Rate per 100,000 Total Population with Comparison to Statewide Rates | |
| Table | 6.2 | Hospitalizations Due to Alcohol- <i>and</i> Drug-Related Causes (Combined) by Patient Gender, Rate per 100,000 Population, and Percent of Total Admissions | 31 |
| Figure | 6.2 | El Dorado County AOD-Related Hospitalization Rate per 100,000 Population by Patient Gender | 31 |
| Table | 6.3 | Hospitalizations Due to Alcohol-Related Causes and Rate per 100,000 Total Population with Comparison to Statewide Rates | 32 |
| Figure | 6.3 | El Dorado County <i>Alcohol</i> -Related Hospitalization Rate per 100,000 Total Population with Comparison to Statewide Rates | 32 |
| Table | 6.4 | Hospitalizations Due to Drug-Related Causes and Rate per 100,000 Total Population with Comparison to Statewide Rates | 32 |
| Figure | 6.4 | El Dorado County <i>Drug</i> -Related Hospitalization Rate per 100,000 Total Population with Comparison to Statewide Rates | 32 |
| Table | 6.5 | Hospitalizations Due to Alcohol-Related Causes by Specific Cause and Rate per 100,000 Total Population | 33 |
| Table | 6.6 | Hospitalizations Due to <i>Drug</i> -Related Causes by Specific Cause and Rate per 100,000 Total Population | 34 |
| Table | 6.7 | Hospitalizations Due to Alcohol- <i>and</i> Drug-Related Causes (Combined) by Patient Race/Ethnicity, Rate per 100,000 Population, and Percent of Hospitalizations | 35 |
| Figure | 6.5 | El Dorado County AOD-Related Hospitalization Rate per 100,000 Population by Patient Race/Ethnicity | 35 |
| Table | 6.8 | Hospitalizations Due to Alcohol- <i>and</i> Drug-Related Causes (Combined) by Patient Age Category, Rate per 100,000 Population, and Percent of Hospitalizations | 36 |
| Figure | 6.6 | El Dorado County AOD-Related Hospitalization Rate per 100,000 Population by Patient Age Category | 36 |
| Indic | ator | 7: Deaths Due to Alcohol and Drug Use | |
| Table | 7.1 | Deaths Due to Alcohol- <i>and</i> Drug-Related Causes (Combined) and Age-Adjusted Rate per 100,000 with Comparison to Statewide Rates | 37 |
| Figure | 7.1 | El Dorado County Mortality Age-Adjusted Rate per 100,000 Total Population with Comparison to Statewide Rates | 37 |
| Table | 7.2 | Deaths Due to Alcohol- and Drug-Related Causes (Combined) by Gender of Decedent, Rate per 100,000 Total Population, and Percent of Total AOD-Related Deaths | 37 |
| Figure | 7.2 | El Dorado County AOD-Related Mortality Rate per 100,000 Population by Decedent Gender | |
| Table | 7.3 | Deaths Due to <i>Alcohol</i> -Related Causes and Rate per 100,000 Total Population, with Comparison to Statewide Rates | 38 |
| Figure | 7.3 | El Dorado County <i>Alcohol</i> -Related Mortality Rate per 100,000 Population with Comparison to Statewide Rates | 38 |
| Table | 7.4 | Deaths Due to <i>Drug-</i> Related Causes and Rate per 100,000 Total Population, with Comparison to Statewide Rates | 38 |
| Figure | 7.4 | El Dorado County <i>Drug</i> -Related Mortality Rate per 100,000 Population with Comparison to Statewide Rates | 38 |
| Table | 7.5 | Deaths Due to Alcohol-Related Causes by Specific Cause, and Rate per 100,000 Total Population | 39 |
| Table | 7.6 | Deaths Due to <i>Drug-</i> Related Causes by Specific Cause, and Rate per 100,000 Total Population | 40 |
| Table | 7.7 | Deaths Due to Alcohol- and Drug-Related Causes (Combined) by Race/Ethnicity of Decedent, Rate per 100,000 Total Population, and Percent of Total AOD-Related Deaths | 41 |
| Figure | 7.5 | El Dorado County AOD-Related Mortality Rate per 100,000 Population by Decedent Race/Ethnicity | 41 |
| Table | 7.8 | Deaths Due to Alcohol- and Drug-Related Causes (Combined) by Age Category of Decedent, Rate per 100,000 Total Population, and Percent of Total AOD-Related Deaths | 42 |
| | | | |
| Figure | 7.6 | El Dorado County AOD-Related Mortality Rate per 100,000 Population by Decedent Age Category | 42 |

INTRODUCTION

In the mid-1990s, the California Department of Alcohol and Drug Programs, in collaboration with the Center for Applied Research Solutions (CARS), Inc. began to work toward improving the state's prevention information system. A key component of this information system was the continuous collection, monitoring and reporting of selected community-level indicators that would serve as direct and indirect measures of alcohol and other drug use prevalence and related problems. This information system was designed to assist with state and local prevention planning and policy-making by providing useful, systematic data about prevention and treatment needs and outcomes throughout the state.

The present report is the most recent product of this ongoing effort. It differs from earlier versions in a few important ways.

- First, while previous reports typically summarized data for more than twenty-five indicators of health and social conditions that are theoretically linked to problem substance use, the current version is more streamlined, focusing on seven key indicators of AOD use and abuse prevalence and their direct consequences, including impacts on the criminal justice, health and alcohol and drug treatment systems.
- Second, the 2010 report updates information contained in earlier versions, but expands in its depth to summarize data for populations within the larger county, including age, gender, and race/ethnicity subgroups. This expanded detail allows for more precise analyses of alcohol and drug use problems within a county population and enhances the ability to effectively target prevention and intervention strategies to community needs.

Similar to previous reports, the 2010 version includes simple analytic tools to help users interpret the information presented. This includes use of population-based rates (e.g., the number of incidents relative to the total population) to make meaningful comparisons between geographic areas that differ in population size, or comparisons between differing time points. Data is presented at both the county and state level to allow county rates to be evaluated against a relative average.

The overall intent of the report is to provide a simple, easy-to-use resource that helps synthesize the most relevant indicator data currently available to assess substance use problems, in an effort to optimize prevention planning and outcome measurement efforts in communities through the state. Specifically, it is designed to support the work of planners, policy-makers, and practitioners in the field in:

- Determining the incidence of alcohol and other drug use problems within county populations and subpopulations;
- Monitoring trends in problem incidence to identify emergent issues and detect changes in status over time;
- Establishing program resource levels that are appropriate to address the nature and extent of prevention and treatment needs; and,
- Documenting progress toward achieving targeted prevention objectives and outcomes.

The report contains information on several key indicators of alcohol and drug prevalence and consequences for California populations in each of the following seven indicators:

- 1. Household prevalence of past year binge drinking;
- 2. Admissions to publicly-funded and/or monitored alcohol and other drug treatment facilities;
- **3.** Arrests for drug-related criminal offenses;
- **4.** Arrests for alcohol-related criminal offenses:
- **5.** Motor vehicle accidents involving drivers who had been drinking;
- **6.** Hospitalizations for alcohol and drug-related conditions; and,
- 7. Mortality attributable to acute and chronic alcohol and drug use.

Each report contains data compiled from several sources, including a statewide, longitudinal survey of California household populations, and state data systems housing public archival records from six central agencies, including the California Department of Justice (DOJ), the California Highway Patrol (CHP), the California Department of Public Health, Vital Statistics Section, the Office of Statewide Health Planning and Development (OSHPD), the Department of Alcohol and Drug Programs (ADP), and the University of California, Los Angeles (UCLA). This reliance on statewide data sources ensures that the information reported is drawn from reliable and valid measures that are routinely and uniformly collected across jurisdictions (i.e., all counties use the same data collection), allowing for comparisons over time, across counties, and between counties and the state.

KEY FINDINGS

Indicator 1: Prevalence of Past Year Binge Drinking

- Approximately 34 percent of El Dorado County residents age 18 and older participated in binge drinking in 2007 compared to the statewide rate of 30 percent.
- Males participated in binge drinking much more frequently than females (46 percent versus 22 percent) in 2007.

Indicator 2: Admissions to Alcohol and Other Drug Treatment

- Overall, admission rates to treatment facilities in El Dorado County have increased since 2000. In 2000 there were about 678 admissions per 100,000 compared to 708 admissions per 100,000 in 2008, after peaking at 1,011 in 2002. El Dorado County's AOD admission rate was higher than the state overall each year, except in 2003, 2004, and 2005. There may be differences in detoxification and non-detoxification service admission trends that affect this overall trend (see "Treatment Data Clarifications" section on page 9 for detail).
- Admissions due to methamphetamine use accounted for 31 percent of all admissions in 2008.
 Admissions due to alcohol use accounted for roughly 34 percent of admissions, marijuana for 20 percent of admissions, heroin for 4 percent of admissions, and crack/cocaine for 3 percent in 2008.
- Admission rates were highest among American Indians and Blacks, 5,452 and 4,634 per 100,000 in 2008, respectively. These rates were significantly higher than each other race/ethnicity group.
- The highest rate of admissions was for 25 to 34 year olds with a rate of 2,649 per 100,000 in 2008. The next highest rate was for 18 to 24 year olds with a rate of 1,460 per 100,000.

Indicator 3: Arrests for Drug-Related Crime

- Crime rates for felony and misdemeanor drug offenses increased from 571 per 100,000 in 2000 to 676 per 100,000 in 2008. El Dorado County's drug arrest rate was lower than the state each year.
- Arrests due to dangerous drug offenses accounted for approximately 17 percent in 2008, narcotics for roughly 15 percent of drug arrests, marijuana for 33 percent of drug arrests, and 35 percent of drug arrests in 2008 were for other drug violations.
- Drug arrest rates were highest among Blacks at 2,457 per 100,000 in 2008.
- The highest rate of arrests for drug-related crime was for 18 to 24 year olds with a rate of 1,771 per 100,000 in 2008. The next highest rate was for 25 to 34 year olds with a rate of 1,692 per 100,000.

Indicator 4: Arrests for Alcohol-Related Crime

- Crime rates for felony and misdemeanor alcohol offenses decreased from 1,631 per 100,000 in 2000 to 1,345 per 100,000 in 2008. El Dorado County's alcohol arrest rate was higher than the state overall each year.
- Arrests due to driving-under-the-influence accounted for approximately 68 percent in 2008, public drunkenness for roughly 30 percent of alcohol arrests, and 3 percent of alcohol arrests in 2008 were for liquor law violations.
- Alcohol arrest rates were highest among Blacks at 3,035 per 100,000 in 2008.
- The highest rate of arrests for alcohol-related crime was for 25 to 34 year olds with a rate of 3,605 per 100,000 in 2008. The next highest rate was for 18 to 24 year olds with a rate of 2,611 per 100,000.

Indicator 5: Alcohol-Involved Motor Vehicle Accidents

- The rate of fatalities in alcohol-involved accidents was higher in El Dorado County than the state overall each year, except in 2005.
- Males accounted for nearly two-thirds of total parties who had been drinking in alcohol-involved accidents in 2008. During this year Blacks had the rate of 366 per 100,000, Hispanics had 111 per 100,000 and Whites had 147 per 100,000.
- 25 to 34 year olds (434 per 100,000) accounted for the highest rate of parties who had been drinking in alcohol-involved accidents in 2008. The next highest rate was for 18 to 24 year olds with a rate of 310 per 100,000.

Indicator 6: Hospitalizations Due to Alcohol and Drug Use

- The rate of hospitalizations due to alcohol and drug use decreased from 181 per 100,000 in 2000 to 170 per 100,000 in 2007. El Dorado County's AOD hospitalization rate was lower than the state overall each year.
- The rate of hospitalizations due to alcohol-related causes decreased from 100 per 100,000 in 2000 to 66 per 100,000 in 2007. El Dorado County's alcohol-related hospitalization rate was lower than the state overall each year, except in 2004.
- The rate of hospitalizations due to drug-related causes increased from 81 per 100,000 in 2000 to 104 per 100,000 in 2007. El Dorado County's drug-related hospitalization rate was lower than the state overall each year.

Indicator 7: Deaths Due to Alcohol and Drug Use

- The death rate due to alcohol and drug use increased between 2000 and 2007 from 14.51 deaths per 100,000 to 26.82 deaths per 100,000. El Dorado County's AOD mortality rate was similar to the state overall each year.
- The death rate due to alcohol use decreased slightly between 2000 and 2007 from 10.72 per 100,000 to 9.97 per 100,000, similar to the statewide rates each year.
- The death rate due to drug use increased between 2000 and 2007 from 4.41 per 100,000 to 19.39 per 100,000, higher than the statewide rates each year, starting in 2001.

Key Indicators of Community Alcohol and Drug Use • El Dorado County

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | Three Yea |
|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| INDICATOR 1: Past Year Binge Drinking | | | | | | | | | | |
| County Percentage of Total Respondents | • | • | • | • | • | • | • | 34.1% | • | |
| State Percentage of Total Respondents | • | • | • | • | • | • | • | 29.7% | • | |
| County Ranking (of 44 Counties) | • | • | • | • | • | • | • | 12 | • | |
| NDICATOR 2: Admissions to Alcohol and Other Drug Treatment | | | | | | | | | | |
| County Rate per 100,000 Total Population | 677.72 | 906.11 | 1,010.53 | 515.89 | 479.34 | 499.38 | 668.74 | 739.01 | 707.75 | 705.17 |
| tate Rate per 100,000 Population 10 to 69 Years | 647.98 | 706.60 | 703.16 | 668.97 | 645.41 | 643.64 | 599.12 | 602.30 | 591.63 | 597.68 |
| County Ranking (of 49 Counties) | 23 | 19 | 14 | 39 | 43 | 41 | 25 | 21 | 19 | 22 |
| INDICATOR 3: Arrests for Drug-Related Offenses | | | | | | | | | | |
| County Rate per 100,000 Population 10 to 69 Years | 571.26 | 505.57 | 678.98 | 798.24 | 826.13 | 878.65 | 709.33 | 635.99 | 675.73 | 673.68 |
| State Rate per 100,000 Population 10 to 69 Years | 961.65 | 931.02 | 940.74 | 986.91 | 1,023.80 | 1,070.18 | 1,040.85 | 997.25 | 910.20 | 982.76 |
| County Ranking (of 58 Counties) | 52 | 53 | 47 | 40 | 41 | 40 | 49 | 53 | 47 | 51 |
| NDICATOR 4: Arrests for Alcohol-Related Offenses | | | | | | | | | | |
| County Rate per 100,000 Population 10 to 69 Years | 1,631.03 | 1,387.40 | 1,539.47 | 1,604.65 | 1,589.83 | 1,586.83 | 1,619.83 | 1,401.53 | 1,345.35 | 1,455.57 |
| State Rate per 100,000 Population 10 to 69 Years | 1,238.01 | 1,167.40 | 1,126.00 | 1,129.17 | 1,087.87 | 1,045.21 | 1,123.22 | 1,159.68 | 1,203.37 | 1,162.0 |
| County Ranking (of 58 Counties) | 35 | 40 | 32 | 32 | 30 | 27 | 31 | 39 | 41 | 39 |
| NDICATOR 5: Alcohol-Involved Motor Vehicle Accident Fatalities | | | | | | | | | | |
| County Rate per 100,000 Total Population | 6.30 | 4.92 | 9.04 | 8.28 | 5.22 | 2.28 | 7.88 | 6.09 | 4.91 | 6.29 |
| State Rate per 100,000 Total Population | 3.62 | 3.76 | 3.99 | 4.01 | 4.00 | 4.26 | 4.27 | 3.94 | 3.54 | 3.92 |
| County Ranking (of 58 Counties) | 28 | 28 | 21 | 24 | 32 | 53 | 24 | 19 | 31 | 25 |
| INDICATOR 6: Alcohol and Drug Use Hospitalizations | | | | | | | | | | |
| County Rate per 100,000 Total Population | 180.93 | 158.09 | 168.82 | 173.94 | 194.41 | 165.70 | 181.26 | 170.07 | • | 172.34 |
| State Rate per 100,000 Total Population | 222.67 | 218.35 | 217.21 | 215.37 | 211.97 | 204.50 | 201.00 | 205.44 | • | 203.65 |
| County Ranking (of 50 Counties) | 26 | 33 | 29 | 32 | 22 | 35 | 28 | 32 | • | 32 |
| NDICATOR 7: Deaths Due to Alcohol and Drug Use | | | | | | | | | | |
| County Rate per 100,000 Total Population | 14.51 | 18.91 | 21.42 | 23.61 | 17.86 | 21.20 | 25.82 | 26.82 | • | 24.61 |
| State Rate per 100,000 Total Population | 19.03 | 19.22 | 20.10 | 20.90 | 20.86 | 21.40 | 21.27 | 21.46 | • | 21.38 |
| County Ranking (of 58 Counties) | 41 | 35 | 33 | 25 | 44 | 33 | 23 | 20 | • | 26 |

• Data not available for reporting year.


Indicator 1: Prevalence of Past Year Binge Drinking


The estimated number and percent of persons 18 years and older who reported any binge drinking in the past year.

Table/Figure 1.1

Estimated Number and Percent of Persons 18 Years and Older Reporting Any Binge Drinking in the Past Year with Comparison to Statewide Rates

| 2007 | El Dorado County |
|----------------------------------|------------------|
| Estimated Number * | 47,000 |
| Estimated Population 18 and over | 137,000 |
| Percent of Total Population | 34.1% |






Table/Figure 1.2Estimated Number of Persons 18 Years and Older Reporting Any Binge Drinking in the Past Year by Gender

| 2007 | | El Dorado County |
|--------|-----------------------|---------------------|
| Male | Estimated Number * | 31,000 |
| | Estimated Population | 67,000 |
| | Percent of Population | 46.3% |
| Female | Estimated Number * | 16,000 |
| | Estimated Population | 70,000 |
| | Percent of Population | 22.4% |

| State of California |
|------------------------|
| 5,039,000 |
| 13,179,000 |
| 38.2% |
| 2,934,000 |
| 13,694,000 |
| 21.4% |



^{*} Estimates rounded to the nearest thousand.

 $[\]ensuremath{^{*}}$ Estimates rounded to the nearest thousand.


Indicator 1: Prevalence of Past Year Binge Drinking (Continued)

Table 1.3Estimated Number of Persons 18 Years and Older Reporting Any Binge Drinking in the Past Year by Race/Ethnicity

| 2007 | | El Dorado County |
|------------------------|-----------------------------|------------------|
| American Indian | Estimated Number * | 1,000 |
| | Estimated Population | 2,000 |
| | Percent of Population | 53.1% |
| Asian/Pacific Islander | Estimated Number * | 1,000 |
| | Estimated Population | 4,000 |
| | Percent of Population | 24.3% |
| Black | Estimated Number * | - |
| | Estimated Population | 1,000 |
| | Percent of Population | - |
| Hispanic | Estimated Number * | 3,000 |
| | Estimated Population | 11,000 |
| | Percent of Population | 25.8% |
| White | Estimated Number * | 41,000 |
| | Estimated Population | 119,000 |
| | Percent of Population | 34.6% |
| Other | Estimated Number * | 1,000 |
| | Estimated Population | 1,000 |
| | Percent of Population | 66.8% |

| State of California |
|---------------------|
| 55,000 |
| 170,000 |
| 32.5% |
| 650,000 |
| 3,507,000 |
| 18.5% |
| 301,000 |
| 1,531,000 |
| 19.6% |
| 2,745,000 |
| 8,469,000 |
| 32.4% |
| 4,093,000 |
| 12,797,000 |
| 32.0% |
| 129,000 |
| 401,000 |
| 32.3% |

Figure 1.3
Past Year Binge
Drinking in El
Dorado County by
Race/Ethnicity



^{*} Estimates rounded to the nearest thousand.

⁻ Estimate not reported due to small sample size.


Indicator 1: Prevalence of Past Year Binge Drinking (Continued)

Table 1.4Estimated Number of Persons 18 Years and Older Reporting Any Binge Drinking in the Past Year by Age Category

| 2007 | | El Dorado County |
|-------------|-----------------------------|------------------|
| 18 to 24 | Estimated Number * | 10,000 |
| | Estimated Population | 17,000 |
| | Percent of Population | 59.5% |
| 25 to 34 | Estimated Number * | 5,000 |
| | Estimated Population | 13,000 |
| | Percent of Population | 37.8% |
| 35 to 44 | Estimated Number * | 10,000 |
| | Estimated Population | 24,000 |
| | Percent of Population | 40.2% |
| 45 to 54 | Estimated Number * | 12,000 |
| | Estimated Population | 35000 |
| | Percent of Population | 34.8% |
| 55 to 64 | Estimated Number * | 7,000 |
| | Estimated Population | 25,000 |
| | Percent of Population | 28.8% |
| 65 and Over | Estimated Number * | 3,000 |
| | Estimated Population | 24,000 |
| | Percent of Population | 12.7% |

| State of California |
|---------------------|
| 1,620,000 |
| 3,703,000 |
| 43.8% |
| 2,147,000 |
| 4,733,000 |
| 45.4% |
| 1,795,000 |
| 5,593,000 |
| 32.1% |
| 1,390,000 |
| 5,219,000 |
| 26.6% |
| 700,000 |
| 3,724,000 |
| 18.8% |
| 321,000 |
| 3,901,000 |
| 8.2% |

Figure 1.4
Past Year Binge
Drinking in El
Dorado County by
Age Category



^{*} Estimates rounded to the nearest thousand.

The number of admissions to publicly funded alcohol and other drug treatment facilities in California and rate of admission per 100,000 total population.


Treatment Data Clarifications


Findings for Indicator 2: Admissions to Alcohol and Other Drug Treatment are based on total admissions rather than unique client counts. Clients with multiple treatment admissions during the year tend to bias the demographic and service characteristics described. These findings include admissions for both detoxification and other treatment services. Detoxification services are short term, often repeated numerous times, and used primarily for alcohol or heroin treatment. The inclusion of admissions to detoxification services biases the demographic and service characteristics described.

The Substance Abuse Crime Prevention Act (SACPA) was implemented in July 2001. Clients referred by the criminal justice system compete for limited treatment services resources and are often given priority over clients referred by other sources. In 2000, criminal justice referrals made up only 26 percent of all admissions. By 2004, criminal justice referrals made up 42% of the admissions. The influx of these clients with their specific demographic and service characteristics impact the makeup of the treatment population described in the key findings. For instance, clients referred by the criminal justice system rarely use detoxification services, and more often have a primary drug other than alcohol. Also, SACPA referred clients do not frequently use narcotic replacement treatment for heroin/opiate abuse. Consequently, the number of admissions to detoxification services has decreased as well as the number of admissions with alcohol or heroin as their primary drug problem compared with pre-SACPA levels.

Table 2.1Number of Admissions to Alcohol and Other Drug Treatment and Rate per 100,000 Total Population with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|-----------------------------------|---------|---------|----------|---------|---------|---------|---------|---------|---------|
| Number of Treatment Admissions | 1,075 | 1,473 | 1,676 | 872 | 826 | 877 | 1,188 | 1,334 | 1,298 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 | 183,399 |
| Rate per 100,000 | 677.72 | 906.11 | 1,010.53 | 515.89 | 479.34 | 499.38 | 668.74 | 739.01 | 707.75 |
| CALIFORNIA | | | | | | | | | |
| Rate per 100,000 | 647.98 | 706.60 | 703.16 | 668.97 | 645.41 | 643.64 | 599.12 | 602.30 | 591.63 |





Table/Figure 2.2Admissions to Alcohol and Other Drug Treatment by Client Gender, Rate per 100,000 Population, and Percent of Total Admissions

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|------------------|--------|----------|----------|--------|--------|--------|--------|--------|--------|
| TOTAL ADMISSIONS | 1,075 | 1,473 | 1,676 | 872 | 826 | 877 | 1,188 | 1,334 | 1,298 |
| Male | 653 | 849 | 919 | 492 | 439 | 464 | 646 | 767 | 703 |
| Population | 79,143 | 81,125 | 82,782 | 84,378 | 86,027 | 87,672 | 88,678 | 90,102 | 91,529 |
| Rate per 100,000 | 825.09 | 1,046.53 | 1,110.14 | 583.09 | 510.30 | 529.25 | 728.48 | 851.26 | 768.06 |
| Percent of Total | 60.7% | 57.6% | 54.8% | 56.4% | 53.1% | 52.9% | 54.4% | 57.5% | 54.2% |
| Female | 422 | 624 | 757 | 380 | 387 | 413 | 542 | 567 | 595 |
| Population | 79,478 | 81,438 | 83,072 | 84,650 | 86,293 | 87,947 | 88,969 | 90,409 | 91,870 |
| Rate per 100,000 | 530.96 | 766.23 | 911.26 | 448.91 | 448.47 | 469.60 | 609.20 | 627.15 | 647.65 |
| Percent of Total | 39.3% | 42.4% | 45.2% | 43.6% | 46.9% | 47.1% | 45.6% | 42.5% | 45.8% |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

Figure 2.2
El Dorado County
Treatment
Admission Rate
per 100,000
Population by
Client Gender




Table 2.3Treatment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 Population

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL ADMISSIONS | 1,075 | 1,473 | 1,676 | 872 | 826 | 877 | 1,188 | 1,334 | 1,298 |
| Methamphetamines | 181 | 406 | 558 | 260 | 296 | 343 | 465 | 477 | 396 |
| Percent of Total | 16.8% | 27.6% | 33.3% | 29.8% | 35.8% | 39.1% | 39.1% | 35.8% | 30.5% |
| Rate per 100,000 | 114.11 | 249.75 | 336.44 | 153.82 | 171.77 | 195.31 | 261.76 | 264.25 | 215.92 |
| Alcohol | 480 | 599 | 619 | 280 | 251 | 261 | 364 | 437 | 445 |
| Percent of Total | 44.7% | 40.7% | 36.9% | 32.1% | 30.4% | 29.8% | 30.6% | 32.8% | 34.3% |
| Rate per 100,000 | 302.61 | 368.47 | 373.22 | 165.65 | 145.66 | 148.62 | 204.90 | 242.09 | 242.64 |
| Marijuana | 326 | 332 | 314 | 240 | 184 | 179 | 251 | 253 | 260 |
| Percent of Total | 30.3% | 22.5% | 18.7% | 27.5% | 22.3% | 20.4% | 21.1% | 19.0% | 20.0% |
| Rate per 100,000 | 205.52 | 204.23 | 189.32 | 141.99 | 106.78 | 101.93 | 141.29 | 140.16 | 141.77 |
| Heroin | 17 | 48 | 58 | 23 | 25 | 25 | 30 | 52 | 56 |
| Percent of Total | 1.6% | 3.3% | 3.5% | 2.6% | 3.0% | 2.9% | 2.5% | 3.9% | 4.3% |
| Rate per 100,000 | 10.72 | 29.53 | 34.97 | 13.61 | 14.51 | 14.24 | 16.89 | 28.81 | 30.53 |
| Crack/Cocaine | 34 | 40 | 57 | 24 | 18 | 11 | 26 | 33 | 37 |
| Percent of Total | 3.2% | 2.7% | 3.4% | 2.8% | 2.2% | 1.3% | 2.2% | 2.5% | 2.9% |
| Rate per 100,000 | 21.43 | 24.61 | 34.37 | 14.20 | 10.45 | 6.26 | 14.64 | 18.28 | 20.17 |
| Other Drugs | 37 | 48 | 70 | 45 | 52 | 58 | 52 | 82 | 104 |
| Percent of Total | 3.4% | 3.3% | 4.2% | 5.2% | 6.3% | 6.6% | 4.4% | 6.1% | 8.0% |
| Rate per 100,000 | 23.33 | 29.53 | 42.21 | 26.62 | 30.18 | 33.03 | 29.27 | 45.43 | 56.71 |

Figure 2.3
El Dorado County
Treatment
Admission Rate
per 100,000
Population by
Primary Drug Type




Table 2.4Admissions to Alcohol and Other Drug Treatment by Client Race/Ethnicity, Rate per 100,000 Population, and Percent of Total Admissions

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| TOTAL ADMISSIONS | 1,075 | 1,473 | 1,676 | 872 | 826 | 877 | 1,188 | 1,334 | 1,298 |
| American Indian | 41 | 64 | 58 | 26 | 20 | 23 | 47 | 67 | 73 |
| Population | 1,306 | 1,309 | 1,309 | 1,308 | 1,307 | 1,315 | 1,323 | 1,331 | 1,339 |
| Rate per 100,000 | 3,139.36 | 4,889.23 | 4,430.86 | 1,987.77 | 1,530.22 | 1,749.05 | 3,552.53 | 5,033.81 | 5,451.83 |
| Percent of Total | 3.8% | 4.3% | 3.5% | 3.0% | 2.4% | 2.6% | 4.0% | 5.0% | 5.6% |
| Asian/Pacific Islander | 6 | 10 | 9 | 17 | 6 | 12 | 47 | 8 | 28 |
| Population | 3,523 | 3,545 | 3,571 | 3,603 | 3,630 | 3,673 | 3,725 | 3,778 | 3,829 |
| Rate per 100,000 | 170.31 | 282.09 | 252.03 | 471.83 | 165.29 | 326.71 | 1,261.74 | 211.75 | 731.26 |
| Percent of Total | 0.6% | 0.7% | 0.5% | 1.9% | 0.7% | 1.4% | 4.0% | 0.6% | 2.2% |
| Black | 24 | 31 | 36 | 13 | 15 | 9 | 21 | 21 | 38 |
| Population | 776 | 779 | 784 | 786 | 792 | 796 | 804 | 812 | 820 |
| Rate per 100,000 | 3,092.78 | 3,979.46 | 4,591.84 | 1,653.94 | 1,893.94 | 1,130.65 | 2,611.94 | 2,586.21 | 4,634.15 |
| Percent of Total | 2.2% | 2.1% | 2.1% | 1.5% | 1.8% | 1.0% | 1.8% | 1.6% | 2.9% |
| Hispanic | 115 | 153 | 147 | 76 | 88 | 72 | 120 | 152 | 144 |
| Population | 14,787 | 15,453 | 16,085 | 16,722 | 17,374 | 18,068 | 18,636 | 19,238 | 19,848 |
| Rate per 100,000 | 777.71 | 990.10 | 913.89 | 454.49 | 506.50 | 398.49 | 643.92 | 790.10 | 725.51 |
| Percent of Total | 10.7% | 10.4% | 8.8% | 8.7% | 10.7% | 8.2% | 10.1% | 11.4% | 11.1% |
| White | 840 | 1,143 | 1,371 | 732 | 689 | 755 | 936 | 1,051 | 993 |
| Population | 135,355 | 138,547 | 141,112 | 143,599 | 146,181 | 148,678 | 150,142 | 152,303 | 154,480 |
| Rate per 100,000 | 620.59 | 824.99 | 971.57 | 509.75 | 471.33 | 507.81 | 623.41 | 690.07 | 642.80 |
| Percent of Total | 78.1% | 77.6% | 81.8% | 83.9% | 83.4% | 86.1% | 78.8% | 78.8% | 76.5% |
| Other | 49 | 72 | 55 | 8 | 8 | 6 | 17 | 35 | 22 |
| Percent of Total | 4.6% | 4.9% | 3.3% | 0.9% | 1.0% | 0.7% | 1.4% | 2.6% | 1.7% |

Figure 2.4
El Dorado County
Treatment
Admission Rate
per 100,000
Population by
Client Race/
Ethnicity




Table 2.5Admissions to Alcohol and Other Drug Treatment by Client Age Category, Rate per 100,000 Population, and Percent of Total Admissions

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| TOTAL ADMISSIONS | 1,075 | 1,473 | 1,676 | 872 | 826 | 877 | 1,188 | 1,334 | 1,298 |
| 17 Years and Under | 384 | 300 | 280 | 252 | 172 | 176 | 214 | 235 | 228 |
| Population | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Rate per 100,000 | 930.35 | 720.31 | 671.75 | 606.15 | 414.25 | 424.72 | 524.75 | 580.81 | 569.03 |
| Percent of Total | 35.7% | 20.4% | 16.7% | 28.9% | 20.8% | 20.1% | 18.0% | 17.6% | 17.6% |
| 18 to 24 Years | 135 | 245 | 294 | 156 | 176 | 201 | 257 | 272 | 273 |
| Population | 10,633 | 11,325 | 12,300 | 13,458 | 14,660 | 15,926 | 17,195 | 17,993 | 18,693 |
| Rate per 100,000 | 1,269.63 | 2,163.36 | 2,390.24 | 1,159.16 | 1,200.55 | 1,262.09 | 1,494.62 | 1,511.70 | 1,460.44 |
| Percent of Total | 12.6% | 16.6% | 17.5% | 17.9% | 21.3% | 22.9% | 21.6% | 20.4% | 21.0% |
| 25 to 34 Years | 184 | 322 | 388 | 167 | 174 | 198 | 302 | 327 | 360 |
| Population | 15,662 | 15,231 | 14,773 | 14,255 | 13,660 | 13,026 | 12,684 | 12,976 | 13,592 |
| Rate per 100,000 | 1,174.82 | 2,114.11 | 2,626.41 | 1,171.52 | 1,273.79 | 1,520.04 | 2,380.95 | 2,520.04 | 2,648.62 |
| Percent of Total | 17.1% | 21.9% | 23.2% | 19.2% | 21.1% | 22.6% | 25.4% | 24.5% | 27.7% |
| 35 to 44 Years | 246 | 393 | 462 | 166 | 192 | 189 | 250 | 292 | 241 |
| Population | 28,326 | 28,444 | 28,078 | 27,546 | 27,232 | 26,976 | 26,185 | 25,503 | 24,833 |
| Rate per 100,000 | 868.46 | 1,381.66 | 1,645.42 | 602.63 | 705.05 | 700.62 | 954.75 | 1,144.96 | 970.48 |
| Percent of Total | 22.9% | 26.7% | 27.6% | 19.0% | 23.2% | 21.6% | 21.0% | 21.9% | 18.6% |
| 45 to 54 Years | 98 | 179 | 200 | 114 | 87 | 82 | 139 | 158 | 148 |
| Population | 27,324 | 28,742 | 29,636 | 30,668 | 31,586 | 32,454 | 33,058 | 33,682 | 34,013 |
| Rate per 100,000 | 358.66 | 622.78 | 674.85 | 371.72 | 275.44 | 252.67 | 420.47 | 469.09 | 435.13 |
| Percent of Total | 9.1% | 12.2% | 11.9% | 13.1% | 10.5% | 9.4% | 11.7% | 11.8% | 11.4% |
| 55 to 64 Years | 22 | 29 | 47 | 15 | 22 | 27 | 24 | 47 | 45 |
| Population | 15,742 | 16,825 | 18,363 | 19,690 | 21,067 | 22,534 | 23,825 | 25,163 | 26,465 |
| Rate per 100,000 | 139.75 | 172.36 | 255.95 | 76.18 | 104.43 | 119.82 | 100.73 | 186.78 | 170.04 |
| Percent of Total | 2.0% | 2.0% | 2.8% | 1.7% | 2.7% | 3.1% | 2.0% | 3.5% | 3.5% |
| 65 Years and Older | 6 | 5 | 5 | 2 | 3 | 4 | 2 | 3 | 3 |
| Population | 19,659 | 20,347 | 21,022 | 21,837 | 22,594 | 23,264 | 23,919 | 24,733 | 25,735 |
| Rate per 100,000 | 30.52 | 24.57 | 23.78 | 9.16 | 13.28 | 17.19 | 8.36 | 12.13 | 11.66 |
| Percent of Total | 0.6% | 0.3% | 0.3% | 0.2% | 0.4% | 0.5% | 0.2% | 0.2% | 0.2% |

Figure 2.5
El Dorado County
Treatment
Admission Rate
per 100,000
Population by
Client Age
Category




Table 2.6Characteristics of Clients Admitted to Alcohol and Other Drug Treatment and Rate per 100,000 Population

| | | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------------------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL COUNTY | ADMISSIONS | 1,075 | 1,473 | 1,676 | 872 | 826 | 877 | 1,188 | 1,334 | 1,298 |
| Age Initiated Substance Use | Under Age 10 | 65 | 86 | 77 | 34 | 24 | 38 | 94 | 83 | 84 |
| Substance use | Rate Per 100,000 | 40.98 | 52.90 | 46.43 | 20.12 | 13.93 | 21.64 | 52.91 | 45.98 | 45.80 |
| | Age 11 to 12 | 181 | 201 | 208 | 120 | 111 | 116 | 144 | 161 | 141 |
| | Rate Per 100,000 | 114.11 | 123.64 | 125.41 | 70.99 | 64.42 | 66.05 | 81.06 | 89.19 | 76.88 |
| | Age 13 to 14 | 304 | 387 | 363 | 214 | 197 | 215 | 300 | 301 | 301 |
| | Rate Per 100,000 | 191.65 | 238.06 | 218.87 | 126.61 | 114.32 | 122.42 | 168.87 | 166.75 | 164.12 |
| | Age 15 to 17 | 260 | 368 | 472 | 260 | 230 | 245 | 295 | 396 | 381 |
| | Rate Per 100,000 | 65.57 | 90.55 | 113.84 | 61.53 | 53.39 | 55.80 | 66.42 | 87.75 | 83.10 |
| | Age 18 to 20 | 99 | 171 | 208 | 97 | 89 | 115 | 169 | 175 | 186 |
| | Rate Per 100,000 | 62.41 | 105.19 | 125.41 | 57.39 | 51.65 | 65.48 | 95.13 | 96.95 | 101.42 |
| | Age 21 and Older | 125 | 220 | 313 | 125 | 156 | 148 | 186 | 218 | 205 |
| | Rate Per 100,000 | 78.80 | 135.33 | 188.72 | 73.95 | 90.53 | 84.27 | 104.70 | 120.77 | 111.78 |
| | | | | | | | | | | |
| IV Drug Users | Number | 105 | 230 | 266 | 103 | 128 | 121 | 153 | 215 | 221 |
| | Rate Per 100,000 | 66.20 | 141.48 | 160.38 | 60.94 | 74.28 | 68.90 | 86.13 | 119.11 | 120.50 |
| Drognant | Numban | 24 | 45 | 72 | 25 | 40 | 45 | 70 | 63 | 73 |
| Pregnant | Number | 24 | 45 | 12 | 25 | 40 | | 70 | 63 | |
| | Female Population | 79,478 | 81,438 | 83,072 | 84,650 | 86,293 | 87,947 | 88,969 | 90,409 | 91,870 |
| | Rate Per 100,000 | 30.20 | 55.26 | 86.67 | 29.53 | 46.35 | 51.17 | 78.68 | 69.68 | 79.46 |

Figure 2.6
El Dorado County
Age of Substance
Use Initiation Rate
per 100,000
Population




Table 2.7AOD Treatment Admissions by Primary Drug Type, Percent of Total Admissions, and Rate per 100,000 Population 0 to 17 Years

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL ADMISSIONS UNDER AGE 18 | 384 | 300 | 280 | 252 | 172 | 176 | 214 | 235 | 228 |
| Methamphetamines | 17 | 9 | 16 | 15 | 12 | 24 | 15 | 9 | 4 |
| Population 0 to 17 | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Percent of Total | 4.4% | 3.0% | 5.7% | 6.0% | 7.0% | 13.6% | 7.0% | 3.8% | 1.8% |
| Rate per 100,000 | 41.19 | 21.61 | 38.39 | 36.08 | 28.90 | 57.92 | 36.78 | 22.24 | 9.98 |
| Alcohol | 123 | 109 | 106 | 78 | 58 | 44 | 78 | 83 | 80 |
| Population 0 to 17 | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Percent of Total | 32.0% | 36.3% | 37.9% | 31.0% | 33.7% | 25.0% | 36.4% | 35.3% | 35.1% |
| Rate per 100,000 | 298.00 | 261.71 | 254.31 | 187.62 | 139.69 | 106.18 | 191.27 | 205.14 | 199.66 |
| Marijuana | 231 | 170 | 145 | 149 | 92 | 99 | 113 | 130 | 133 |
| Population 0 to 17 | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Percent of Total | 60.2% | 56.7% | 51.8% | 59.1% | 53.5% | 56.3% | 52.8% | 55.3% | 58.3% |
| Rate per 100,000 | 559.66 | 408.17 | 347.87 | 358.40 | 221.57 | 238.91 | 277.09 | 321.30 | 331.94 |
| Heroin | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Population 0 to 17 | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Percent of Total | 0.0% | 0.3% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Rate per 100,000 | 0.00 | 2.40 | 2.40 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Crack/Cocaine | 6 | 4 | 8 | 4 | 3 | 3 | 3 | 5 | 0 |
| Population 0 to 17 | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Percent of Total | 1.6% | 1.3% | 2.9% | 1.6% | 1.7% | 1.7% | 1.4% | 2.1% | 0.0% |
| Rate per 100,000 | 14.54 | 9.60 | 19.19 | 9.62 | 7.23 | 7.24 | 7.36 | 12.36 | 0.00 |
| Other Drugs | 7 | 7 | 4 | 6 | 7 | 6 | 5 | 8 | 11 |
| Population 0 to 17 | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Percent of Total | 1.8% | 2.3% | 1.4% | 2.4% | 4.1% | 3.4% | 2.3% | 3.4% | 4.8% |
| Rate per 100,000 | 16.96 | 16.81 | 9.60 | 14.43 | 16.86 | 14.48 | 12.26 | 19.77 | 27.45 |

Figure 2.7
El Dorado County
Underage
Treatment
Admission Rate
per 100,000
Population 0 to 17
by Primary Drug
Type




Table 2.8AOD Treatment Admissions among Youth Under Age 18 by Client Gender and Race/Ethnicity, Rate per 100,000 Population 0 to 17 Years, and Percent of Total Admissions

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|----------------------------------|----------|----------|----------|--------|----------|----------|----------|----------|----------|
| TOTAL ADMISSIONS UNDER AGE 18 | 384 | 300 | 280 | 252 | 172 | 176 | 214 | 235 | 228 |
| Male | 266 | 192 | 188 | 164 | 104 | 116 | 144 | 171 | 172 |
| Population 0 to 17 | 21,273 | 21,475 | 21,481 | 21,467 | 21,464 | 21,418 | 21,078 | 20,963 | 20,787 |
| Rate per 100,000 | 1,250.41 | 894.06 | 875.19 | 763.96 | 484.53 | 541.60 | 683.18 | 815.72 | 827.44 |
| Percent of Total | 69.3% | 64.0% | 67.1% | 65.1% | 60.5% | 65.9% | 67.3% | 72.8% | 75.4% |
| Female | 118 | 108 | 92 | 88 | 68 | 60 | 70 | 64 | 56 |
| Population 0 to 17 | 20,002 | 20,174 | 20,201 | 20,107 | 20,057 | 20,021 | 19,703 | 19,498 | 19,281 |
| Rate per 100,000 | 589.94 | 535.34 | 455.42 | 437.66 | 339.03 | 299.69 | 355.28 | 328.24 | 290.44 |
| Percent of Total | 30.7% | 36.0% | 32.9% | 34.9% | 39.5% | 34.1% | 32.7% | 27.2% | 24.6% |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| American Indian | 7 | 4 | 2 | 2 | 1 | 1 | 5 | 4 | 5 |
| Population 0 to 17 | 363 | 344 | 318 | 295 | 270 | 253 | 242 | 224 | 211 |
| Rate per 100,000 | 1,928.37 | 1,162.79 | 628.93 | 677.97 | 370.37 | 395.26 | 2,066.12 | 1,785.71 | 2,369.67 |
| Percent of Total | 1.8% | 1.3% | 0.7% | 0.8% | 0.6% | 0.6% | 2.3% | 1.7% | 2.2% |
| Asian/Pacific Islander | 5 | 6 | 7 | 6 | 4 | 5 | 12 | 2 | 2 |
| Population 0 to 17 | 829 | 803 | 786 | 777 | 759 | 742 | 740 | 743 | 753 |
| Rate per 100,000 | 603.14 | 747.20 | 890.59 | 772.20 | 527.01 | 673.85 | 1,621.62 | 269.18 | 265.60 |
| Percent of Total | 1.3% | 2.0% | 2.5% | 2.4% | 2.3% | 2.8% | 5.6% | 0.9% | 0.9% |
| Black | 5 | 3 | 2 | 1 | 2 | 3 | 2 | 3 | 1 |
| Population 0 to 17 | 203 | 192 | 186 | 175 | 169 | 161 | 154 | 147 | 141 |
| Rate per 100,000 | 2,463.05 | 1,562.50 | 1,075.27 | 571.43 | 1,183.43 | 1,863.35 | 1,298.70 | 2,040.82 | 709.22 |
| Percent of Total | 1.3% | 1.0% | 0.7% | 0.4% | 1.2% | 1.7% | 0.9% | 1.3% | 0.4% |
| Hispanic | 68 | 55 | 46 | 34 | 35 | 30 | 40 | 60 | 58 |
| Population 0 to 17 | 5,658 | 5,807 | 5,938 | 6,078 | 6,207 | 6,353 | 6,434 | 6,526 | 6,618 |
| Rate per 100,002310 | 1,201.84 | 947.13 | 774.67 | 559.39 | 563.88 | 472.22 | 621.70 | 919.40 | 876.40 |
| Percent of Total | 17.7% | 18.3% | 16.4% | 13.5% | 20.3% | 17.0% | 18.7% | 25.5% | 25.4% |
| White | 299 | 231 | 222 | 208 | 127 | 134 | 153 | 159 | 151 |
| Population 0 to 17 | 32,959 | 33,222 | 33,138 | 32,939 | 32,795 | 32,567 | 31,918 | 31,550 | 31,096 |
| Rate per 100,000 | 907.19 | 695.32 | 669.93 | 631.47 | 387.25 | 411.46 | 479.35 | 503.96 | 485.59 |
| Percent of Total | 77.9% | 77.0% | 79.3% | 82.5% | 73.8% | 76.1% | 71.5% | 67.7% | 66.2% |
| Other | 0 | 1 | 1 | 1 | 3 | 3 | 2 | 7 | 11 |
| Percent of Total | 0.0% | 0.3% | 0.4% | 0.4% | 1.7% | 1.7% | 0.9% | 3.0% | 4.8% |

Indicator 3: Arrests for Drug-Related Crime

The number of felony and misdemeanor arrests for drug crimes, including dangerous drugs, narcotics, marijuana, and other drug violations and rate per 100,000 population 10 to 69 years.

Table 3.1Number of Arrests for Felony and Misdemeanor Drug Offenses and Rate per 100,000 Population 10 to 69 Years with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|------------------------------------|---------|---------|---------|---------|----------|----------|----------|---------|---------|
| Number of Drug- Related Arrests | 711 | 649 | 894 | 1,075 | 1,138 | 1,237 | 1,012 | 923 | 996 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 571.26 | 505.57 | 678.98 | 798.24 | 826.13 | 878.65 | 709.33 | 635.99 | 675.73 |
| CALIFORNIA Rate per 100,000 | 961.65 | 931.02 | 940.74 | 986.91 | 1,023.80 | 1,070.18 | 1,040.85 | 997.25 | 910.20 |

Figure 3.1
El Dorado County
Drug Arrest Rate
per 100,000
Population 10 to 69
with Comparison
to Statewide Rates




Table 3.2Number of Arrests for Felony and Misdemeanor Drug Offenses by Offender Gender, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Drug Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------------|--------|--------|--------|----------|----------|----------|----------|--------|----------|
| TOTAL ARRESTS | 711 | 649 | 894 | 1,075 | 1,138 | 1,237 | 1,012 | 923 | 996 |
| Male | 536 | 483 | 660 | 779 | 808 | 889 | 744 | 718 | 763 |
| Population 10 to 69 | 62,398 | 64,347 | 66,018 | 67,544 | 69,109 | 70,610 | 71,574 | 72,810 | 73,947 |
| Rate per 100,000 | 859.00 | 750.62 | 999.73 | 1,153.32 | 1,169.17 | 1,259.03 | 1,039.48 | 986.13 | 1,031.82 |
| Percent of Total | 75.4% | 74.4% | 73.8% | 72.5% | 71.0% | 71.9% | 73.5% | 77.8% | 76.6% |
| Female | 175 | 166 | 234 | 296 | 330 | 348 | 268 | 205 | 233 |
| Population 10 to 69 | 62,063 | 64,023 | 65,651 | 67,127 | 68,642 | 70,174 | 71,095 | 72,317 | 73,450 |
| Rate per 100,000 | 281.97 | 259.28 | 356.43 | 440.96 | 480.76 | 495.91 | 376.96 | 283.47 | 317.22 |
| Percent of Total | 24.6% | 25.6% | 26.2% | 27.5% | 29.0% | 28.1% | 26.5% | 22.2% | 23.4% |

Figure 3.2 El Dorado County Drug Arrest Rate per 100,000 Population 10 to 69 by Offender Gender




Table 3.3Number of Arrests for Felony and Misdemeanor Drug Offenses by Specific Offense, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Drug Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|-----------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| TOTAL ARRESTS | 711 | 649 | 894 | 1,075 | 1,138 | 1,237 | 1,012 | 923 | 996 |
| Dangerous Drugs | 246 | 263 | 299 | 368 | 341 | 393 | 304 | 207 | 173 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 197.65 | 204.88 | 227.08 | 273.26 | 247.55 | 279.15 | 213.08 | 142.63 | 117.37 |
| Percent of Total | 34.6% | 40.5% | 33.4% | 34.2% | 30.0% | 31.8% | 30.0% | 22.4% | 17.4% |
| Narcotics | 52 | 33 | 71 | 89 | 93 | 110 | 122 | 121 | 151 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 41.78 | 25.71 | 53.92 | 66.09 | 67.51 | 78.13 | 85.51 | 83.38 | 102.44 |
| Percent of Total | 7.3% | 5.1% | 7.9% | 8.3% | 8.2% | 8.9% | 12.1% | 13.1% | 15.2% |
| Marijuana | 242 | 183 | 274 | 311 | 322 | 303 | 292 | 298 | 326 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 194.44 | 142.56 | 208.10 | 230.93 | 233.76 | 215.22 | 204.67 | 205.34 | 221.17 |
| Percent of Total | 34.0% | 28.2% | 30.6% | 28.9% | 28.3% | 24.5% | 28.9% | 32.3% | 32.7% |
| Other Drug Violations | 171 | 170 | 250 | 307 | 382 | 431 | 294 | 297 | 346 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 137.39 | 132.43 | 189.87 | 227.96 | 277.31 | 306.14 | 206.07 | 204.65 | 234.74 |
| Percent of Total | 24.1% | 26.2% | 28.0% | 28.6% | 33.6% | 34.8% | 29.1% | 32.2% | 34.7% |

Figure 3.3 El Dorado County Drug Arrest Rate per 100,000 Population 10 to 69 by Specific Offense




Table 3.4Number of Arrests for Felony and Misdemeanor Drug Offenses by Offender Race/Ethnicity, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Drug Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|
| TOTAL ARRESTS | 711 | 649 | 894 | 1,075 | 1,138 | 1,237 | 1,012 | 923 | 996 |
| American Indian | 5 | 5 | 3 | 7 | 6 | 5 | 6 | 6 | 4 |
| Population 10 to 69 | 1,083 | 1,095 | 1,113 | 1,127 | 1,138 | 1,141 | 1,154 | 1,160 | 1,164 |
| Rate per 100,000 | 461.68 | 456.62 | 269.54 | 621.12 | 527.24 | 438.21 | 519.93 | 517.24 | 343.64 |
| Percent of Total | 0.7% | 0.8% | 0.3% | 0.7% | 0.5% | 0.4% | 0.6% | 0.7% | 0.4% |
| Asian/Pacific Islander | 3 | 2 | 9 | 12 | 13 | 13 | 6 | 13 | 9 |
| Population 10 to 69 | 2,895 | 2,921 | 2,946 | 2,963 | 2,980 | 3,009 | 3,026 | 3,039 | 3,035 |
| Rate per 100,000 | 103.63 | 68.47 | 305.50 | 404.99 | 436.24 | 432.04 | 198.28 | 427.77 | 296.54 |
| Percent of Total | 0.4% | 0.3% | 1.0% | 1.1% | 1.1% | 1.1% | 0.6% | 1.4% | 0.9% |
| Black | 8 | 6 | 14 | 20 | 18 | 12 | 30 | 18 | 17 |
| Population 10 to 69 | 645 | 652 | 659 | 667 | 669 | 672 | 679 | 683 | 692 |
| Rate per 100,000 | 1,240.31 | 920.25 | 2,124.43 | 2,998.50 | 2,690.58 | 1,785.71 | 4,418.26 | 2,635.43 | 2,456.65 |
| Percent of Total | 1.1% | 0.9% | 1.6% | 1.9% | 1.6% | 1.0% | 3.0% | 2.0% | 1.7% |
| Hispanic | 53 | 23 | 56 | 84 | 76 | 125 | 92 | 113 | 116 |
| Population 10 to 69 | 11,154 | 11,792 | 12,375 | 12,950 | 13,544 | 14,147 | 14,588 | 15,078 | 15,567 |
| Rate per 100,000 | 475.17 | 195.05 | 452.53 | 648.65 | 561.13 | 883.58 | 630.66 | 749.44 | 745.17 |
| Percent of Total | 7.5% | 3.5% | 6.3% | 7.8% | 6.7% | 10.1% | 9.1% | 12.2% | 11.6% |
| White | 640 | 608 | 812 | 950 | 1,019 | 1,075 | 869 | 768 | 844 |
| Population 10 to 69 | 106,622 | 109,835 | 112,517 | 114,941 | 117,411 | 119,831 | 121,300 | 123,218 | 124,963 |
| Rate per 100,000 | 600.25 | 553.56 | 721.67 | 826.51 | 867.89 | 897.10 | 716.41 | 623.29 | 675.40 |
| Percent of Total | 90.0% | 93.7% | 90.8% | 88.4% | 89.5% | 86.9% | 85.9% | 83.2% | 84.7% |
| Other | 2 | 5 | 0 | 2 | 6 | 7 | 9 | 5 | 6 |
| Percent of Total | 0.3% | 0.8% | 0.0% | 0.2% | 0.5% | 0.6% | 0.9% | 0.5% | 0.6% |

Figure 3.4
El Dorado County
Drug Arrest Rate
per 100,000
Population 10 to 69
by Offender Race/
Ethnicity




Table 3.5Number of Arrests for Felony and Misdemeanor Drug Offenses by Offender Age Category, Rate per 100,000 Population, and Percent of Total Drug Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| TOTAL ARRESTS | 711 | 649 | 894 | 1,075 | 1,138 | 1,237 | 1,012 | 923 | 996 |
| 17 Years and Under | 119 | 106 | 128 | 170 | 162 | 139 | 113 | 134 | 150 |
| Population 10 to 17 | 20,804 | 21,637 | 22,144 | 22,340 | 22,548 | 22,573 | 22,141 | 21,812 | 21,310 |
| Rate per 100,000 | 572.01 | 489.90 | 578.03 | 760.97 | 718.47 | 615.78 | 510.37 | 614.34 | 703.89 |
| Percent of Total | 16.7% | 16.3% | 14.3% | 15.8% | 14.2% | 11.2% | 11.2% | 14.5% | 15.1% |
| 18 to 24 Years | 232 | 185 | 282 | 328 | 346 | 407 | 328 | 296 | 331 |
| Population | 10,633 | 11,325 | 12,300 | 13,458 | 14,660 | 15,926 | 17,195 | 17,993 | 18,693 |
| Rate per 100,000 | 2,181.89 | 1,633.55 | 2,292.68 | 2,437.21 | 2,360.16 | 2,555.57 | 1,907.53 | 1,645.08 | 1,770.72 |
| Percent of Total | 32.6% | 28.5% | 31.5% | 30.5% | 30.4% | 32.9% | 32.4% | 32.1% | 33.2% |
| 25 to 34 Years | 126 | 121 | 181 | 223 | 275 | 295 | 243 | 190 | 230 |
| Population | 15,662 | 15,231 | 14,773 | 14,255 | 13,660 | 13,026 | 12,684 | 12,976 | 13,592 |
| Rate per 100,000 | 804.49 | 794.43 | 1,225.21 | 1,564.36 | 2,013.18 | 2,264.70 | 1,915.80 | 1,464.24 | 1,692.17 |
| Percent of Total | 17.7% | 18.6% | 20.2% | 20.7% | 24.2% | 23.8% | 24.0% | 20.6% | 23.1% |
| 35 to 44 Years | 165 | 158 | 191 | 224 | 218 | 260 | 193 | 158 | 132 |
| Population | 28,326 | 28,444 | 28,078 | 27,546 | 27,232 | 26,976 | 26,185 | 25,503 | 24,833 |
| Rate per 100,000 | 582.50 | 555.48 | 680.25 | 813.19 | 800.53 | 963.82 | 737.06 | 619.53 | 531.55 |
| Percent of Total | 23.2% | 24.3% | 21.4% | 20.8% | 19.2% | 21.0% | 19.1% | 17.1% | 13.3% |
| 45 to 54 Years | 63 | 71 | 104 | 116 | 119 | 113 | 121 | 116 | 119 |
| Population | 27,324 | 28,742 | 29,636 | 30,668 | 31,586 | 32,454 | 33,058 | 33,682 | 34,013 |
| Rate per 100,000 | 230.57 | 247.03 | 350.92 | 378.24 | 376.75 | 348.19 | 366.02 | 344.40 | 349.87 |
| Percent of Total | 8.9% | 10.9% | 11.6% | 10.8% | 10.5% | 9.1% | 12.0% | 12.6% | 11.9% |
| 55 to 64 Years | 4 | 4 | 6 | 13 | 14 | 22 | 13 | 26 | 29 |
| Population | 15,742 | 16,825 | 18,363 | 19,690 | 21,067 | 22,534 | 23,825 | 25,163 | 26,465 |
| Rate per 100,000 | 25.41 | 23.77 | 32.67 | 66.02 | 66.45 | 97.63 | 54.56 | 103.33 | 109.58 |
| Percent of Total | 0.6% | 0.6% | 0.7% | 1.2% | 1.2% | 1.8% | 1.3% | 2.8% | 2.9% |
| 65 Years and Older | 2 | 4 | 2 | 1 | 4 | 1 | 1 | 3 | 5 |
| Population 65 to 69 | 5,970 | 6,166 | 6,375 | 6,714 | 6,998 | 7,295 | 7,581 | 7,998 | 8,491 |
| Rate per 100,000 | 33.50 | 64.87 | 31.37 | 14.89 | 57.16 | 13.71 | 13.19 | 37.51 | 58.89 |
| Percent of Total | 0.3% | 0.6% | 0.2% | 0.1% | 0.4% | 0.1% | 0.1% | 0.3% | 0.5% |

Figure 3.5
El Dorado County
Drug Arrest Rate
per 100,000
Population by
Offender Age
Category




Table 3.6Number of Arrests for Felony and Misdemeanor Drug Offenses by Gender and Race/Ethnicity among Underage Offenders, Rate per 100,000 Population 10 to 17 Years, and Percent of Total Drug Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|----------------------------------|--------|--------|----------|----------|----------|----------|----------|--------|----------|
| ALL DRUG ARRESTS UNDER AGE 18 | 119 | 106 | 128 | 170 | 162 | 139 | 113 | 134 | 150 |
| Male | 91 | 89 | 104 | 126 | 124 | 98 | 85 | 107 | 127 |
| Population 10 to 17 | 10,639 | 11,041 | 11,299 | 11,466 | 11,630 | 11,638 | 11,444 | 11,331 | 11,124 |
| Rate per 100,000 | 855.34 | 806.09 | 920.44 | 1,098.90 | 1,066.21 | 842.07 | 742.75 | 944.31 | 1,141.68 |
| Percent of Total | 76.5% | 84.0% | 81.3% | 74.1% | 76.5% | 70.5% | 75.2% | 79.9% | 84.7% |
| Female | 28 | 17 | 24 | 44 | 38 | 41 | 28 | 27 | 23 |
| Population 10 to 17 | 10,165 | 10,596 | 10,845 | 10,874 | 10,918 | 10,935 | 10,697 | 10,481 | 10,186 |
| Rate per 100,000 | 275.45 | 160.44 | 221.30 | 404.63 | 348.05 | 374.94 | 261.76 | 257.61 | 225.80 |
| Percent of Total | 23.5% | 16.0% | 18.8% | 25.9% | 23.5% | 29.5% | 24.8% | 20.1% | 15.3% |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Population 10 to 17 | 186 | 186 | 183 | 179 | 170 | 160 | 163 | 150 | 140 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Asian/Pacific Islander | 1 | 0 | 1 | 3 | 1 | 2 | 0 | 3 | 3 |
| Population 10 to 17 | 388 | 390 | 396 | 393 | 395 | 389 | 375 | 367 | 359 |
| Rate per 100,000 | 257.73 | 0.00 | 252.53 | 763.36 | 253.16 | 514.14 | 0.00 | 817.44 | 835.65 |
| Percent of Total | 0.8% | 0.0% | 0.8% | 1.8% | 0.6% | 1.4% | 0.0% | 2.2% | 2.0% |
| Black | 1 | 1 | 1 | 3 | 2 | 2 | 2 | 0 | 6 |
| Population 10 to 17 | 106 | 101 | 98 | 96 | 92 | 88 | 83 | 77 | 77 |
| Rate per 100,000 | 943.40 | 990.10 | 1,020.41 | 3,125.00 | 2,173.91 | 2,272.73 | 2,409.64 | 0.00 | 7,792.21 |
| Percent of Total | 0.8% | 0.9% | 0.8% | 1.8% | 1.2% | 1.4% | 1.8% | 0.0% | 4.0% |
| Hispanic | 18 | 5 | 8 | 26 | 6 | 10 | 10 | 20 | 19 |
| Population 10 to 17 | 2,411 | 2,567 | 2,691 | 2,824 | 2,933 | 3,016 | 3,014 | 3,018 | 3,014 |
| Rate per 100,000 | 746.58 | 194.78 | 297.29 | 920.68 | 204.57 | 331.56 | 331.79 | 662.69 | 630.39 |
| Percent of Total | 15.1% | 4.7% | 6.3% | 15.3% | 3.7% | 7.2% | 8.8% | 14.9% | 12.7% |
| White | 98 | 96 | 118 | 138 | 153 | 124 | 99 | 111 | 121 |
| Population 10 to 17 | 17,143 | 17,834 | 18,246 | 18,363 | 18,487 | 18,471 | 18,104 | 17,808 | 17,337 |
| Rate per 100,000 | 571.66 | 538.30 | 646.72 | 751.51 | 827.61 | 671.32 | 546.84 | 623.32 | 697.93 |
| Percent of Total | 82.4% | 90.6% | 92.2% | 81.2% | 94.4% | 89.2% | 87.6% | 82.8% | 80.7% |
| Other | 1 | 4 | 0 | 0 | 0 | 1 | 2 | 0 | 1 |
| Percent of Total | 0.8% | 3.8% | 0.0% | 0.0% | 0.0% | 0.7% | 1.8% | 0.0% | 0.7% |

Indicator 4: Arrests for Alcohol-Related Crime

The number of felony and misdemeanor arrests for driving-under-the-influence, drunkenness, and, liquor law violations and rate per 100,000 population 10 to 69 years.

Table 4.1Number of Arrests for Felony and Misdemeanor Alcohol Offenses, Rate per 100,000 Population 10 to 69 Years with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Number of Alcohol- Related Arrests | 2,030 | 1,781 | 2,027 | 2,161 | 2,190 | 2,234 | 2,311 | 2,034 | 1,983 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 1,631.03 | 1,387.40 | 1,539.47 | 1,604.65 | 1,589.83 | 1,586.83 | 1,619.83 | 1,401.53 | 1,345.35 |
| CALIFORNIA Rate per 100,000 | 1,238.01 | 1,167.40 | 1,126.00 | 1,129.17 | 1,087.87 | 1,045.21 | 1,123.22 | 1,159.68 | 1,203.37 |

Figure 4.1
El Dorado County
Alcohol Arrest
Rate per 100,000
Population 10 to 69
with Comparison
to Statewide Rates




Table 4.2Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Offender Gender, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Alcohol Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| TOTAL ARRESTS | 2,030 | 1,781 | 2,027 | 2,161 | 2,190 | 2,234 | 2,311 | 2,034 | 1,983 |
| Male | 1,653 | 1,425 | 1,652 | 1,727 | 1,746 | 1,742 | 1,817 | 1,567 | 1,481 |
| Population 10 to 69 | 62,398 | 64,347 | 66,018 | 67,544 | 69,109 | 70,610 | 71,574 | 72,810 | 73,947 |
| Rate per 100,000 | 2,649.12 | 2,214.56 | 2,502.35 | 2,556.85 | 2,526.44 | 2,467.07 | 2,538.63 | 2,152.18 | 2,002.79 |
| Percent of Total | 81.4% | 80.0% | 81.5% | 79.9% | 79.7% | 78.0% | 78.6% | 77.0% | 74.7% |
| Female | 377 | 356 | 375 | 434 | 444 | 492 | 494 | 467 | 502 |
| Population 10 to 69 | 62,063 | 64,023 | 65,651 | 67,127 | 68,642 | 70,174 | 71,095 | 72,317 | 73,450 |
| Rate per 100,000 | 607.45 | 556.05 | 571.20 | 646.54 | 646.83 | 701.11 | 694.84 | 645.77 | 683.46 |
| Percent of Total | 18.6% | 20.0% | 18.5% | 20.1% | 20.3% | 22.0% | 21.4% | 23.0% | 25.3% |

Figure 4.2
El Dorado County
Alcohol Arrest
Rate per 100,000
Population 10 to 69
by Offender
Gender





Table 4.3Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Specific Offense, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Alcohol Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------------------------|----------|---------|---------|----------|---------|---------|---------|---------|---------|
| TOTAL ARRESTS | 2,030 | 1,781 | 2,027 | 2,161 | 2,190 | 2,234 | 2,311 | 2,034 | 1,983 |
| Driving-Under-the- Influence | 1,280 | 1,138 | 1,292 | 1,405 | 1,363 | 1,381 | 1,416 | 1,237 | 1,344 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 1,028.43 | 886.50 | 981.25 | 1,043.28 | 989.47 | 980.94 | 992.51 | 852.36 | 911.82 |
| Percent of Total | 63.1% | 63.9% | 63.7% | 65.0% | 62.2% | 61.8% | 61.3% | 60.8% | 67.8% |
| Drunk | 665 | 551 | 655 | 680 | 724 | 742 | 806 | 715 | 585 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 534.30 | 429.23 | 497.46 | 504.93 | 525.59 | 527.05 | 564.94 | 492.67 | 396.89 |
| Percent of Total | 32.8% | 30.9% | 32.3% | 31.5% | 33.1% | 33.2% | 34.9% | 35.2% | 29.5% |
| Liquor Law Violations | 85 | 92 | 80 | 76 | 103 | 111 | 89 | 82 | 54 |
| Population 10 to 69 | 124,461 | 128,370 | 131,669 | 134,671 | 137,751 | 140,784 | 142,669 | 145,127 | 147,397 |
| Rate per 100,000 | 68.29 | 71.67 | 60.76 | 56.43 | 74.77 | 78.84 | 62.38 | 56.50 | 36.64 |
| Percent of Total | 4.2% | 5.2% | 3.9% | 3.5% | 4.7% | 5.0% | 3.9% | 4.0% | 2.7% |






Table 4.4Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Offender Race/Ethnicity, Rate per 100,000 Population 10 to 69 Years, and Percent of Total Alcohol Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| TOTAL ARRESTS | 2,030 | 1,781 | 2,027 | 2,161 | 2,190 | 2,234 | 2,311 | 2,034 | 1,983 |
| American Indian | 9 | 14 | 6 | 7 | 17 | 6 | 6 | 12 | 9 |
| Population 10 to 69 | 1,083 | 1,095 | 1,113 | 1,127 | 1,138 | 1,141 | 1,154 | 1,160 | 1,164 |
| Rate per 100,000 | 831.02 | 1,278.54 | 539.08 | 621.12 | 1,493.85 | 525.85 | 519.93 | 1,034.48 | 773.20 |
| Percent of Total | 0.4% | 0.8% | 0.3% | 0.3% | 0.8% | 0.3% | 0.3% | 0.6% | 0.5% |
| Asian/Pacific Islander | 13 | 18 | 18 | 18 | 32 | 17 | 30 | 19 | 24 |
| Population 10 to 69 | 2,895 | 2,921 | 2,946 | 2,963 | 2,980 | 3,009 | 3,026 | 3,039 | 3,035 |
| Rate per 100,000 | 449.05 | 616.23 | 611.00 | 607.49 | 1,073.83 | 564.97 | 991.41 | 625.21 | 790.77 |
| Percent of Total | 0.6% | 1.0% | 0.9% | 0.8% | 1.5% | 0.8% | 1.3% | 0.9% | 1.2% |
| Black | 17 | 13 | 15 | 14 | 23 | 27 | 20 | 38 | 21 |
| Population 10 to 69 | 645 | 652 | 659 | 667 | 669 | 672 | 679 | 683 | 692 |
| Rate per 100,000 | 2,635.66 | 1,993.87 | 2,276.18 | 2,098.95 | 3,437.97 | 4,017.86 | 2,945.51 | 5,563.69 | 3,034.68 |
| Percent of Total | 0.8% | 0.7% | 0.7% | 0.6% | 1.1% | 1.2% | 0.9% | 1.9% | 1.1% |
| Hispanic | 160 | 184 | 203 | 227 | 223 | 247 | 252 | 220 | 203 |
| Population 10 to 69 | 11,154 | 11,792 | 12,375 | 12,950 | 13,544 | 14,147 | 14,588 | 15,078 | 15,567 |
| Rate per 100,000 | 1,434.46 | 1,560.38 | 1,640.40 | 1,752.90 | 1,646.49 | 1,745.95 | 1,727.45 | 1,459.08 | 1,304.04 |
| Percent of Total | 7.9% | 10.3% | 10.0% | 10.5% | 10.2% | 11.1% | 10.9% | 10.8% | 10.2% |
| White | 1,824 | 1,537 | 1,766 | 1,876 | 1,882 | 1,918 | 1,988 | 1,728 | 1,699 |
| Population 10 to 69 | 106,622 | 109,835 | 112,517 | 114,941 | 117,411 | 119,831 | 121,300 | 123,218 | 124,963 |
| Rate per 100,000 | 1,710.72 | 1,399.37 | 1,569.54 | 1,632.14 | 1,602.92 | 1,600.59 | 1,638.91 | 1,402.39 | 1,359.60 |
| Percent of Total | 89.9% | 86.3% | 87.1% | 86.8% | 85.9% | 85.9% | 86.0% | 85.0% | 85.7% |
| Other | 7 | 15 | 19 | 19 | 13 | 19 | 15 | 17 | 27 |
| Percent of Total | 0.3% | 0.8% | 0.9% | 0.9% | 0.6% | 0.9% | 0.6% | 0.8% | 1.4% |

Figure 4.4
El Dorado County
Alcohol Arrest
Rate per 100,000
Population 10 to 69
by Offender Race/
Ethnicity




Table 4.5Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Offender Age Category, Rate per 100,000 Population, and Percent of Total Alcohol Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| TOTAL ARRESTS | 2,030 | 1,781 | 2,027 | 2,161 | 2,190 | 2,234 | 2,311 | 2,034 | 1,983 |
| 17 Years and Under | 123 | 75 | 95 | 107 | 85 | 101 | 117 | 107 | 74 |
| Population 10 to 17 | 20,804 | 21,637 | 22,144 | 22,340 | 22,548 | 22,573 | 22,141 | 21,812 | 21,310 |
| Rate per 100,000 | 591.23 | 346.63 | 429.01 | 478.96 | 376.97 | 447.44 | 528.43 | 490.56 | 347.25 |
| Percent of Total | 6.1% | 4.2% | 4.7% | 5.0% | 3.9% | 4.5% | 5.1% | 5.3% | 3.7% |
| 18 to 24 Years | 450 | 383 | 479 | 517 | 581 | 569 | 569 | 497 | 488 |
| Population | 10,633 | 11,325 | 12,300 | 13,458 | 14,660 | 15,926 | 17,195 | 17,993 | 18,693 |
| Rate per 100,000 | 4,232.11 | 3,381.90 | 3,894.31 | 3,841.58 | 3,963.17 | 3,572.77 | 3,309.10 | 2,762.19 | 2,610.60 |
| Percent of Total | 22.2% | 21.5% | 23.6% | 23.9% | 26.5% | 25.5% | 24.6% | 24.4% | 24.6% |
| 25 to 34 Years | 430 | 387 | 413 | 449 | 485 | 484 | 547 | 480 | 490 |
| Population | 15,662 | 15,231 | 14,773 | 14,255 | 13,660 | 13,026 | 12,684 | 12,976 | 13,592 |
| Rate per 100,000 | 2,745.50 | 2,540.87 | 2,795.64 | 3,149.77 | 3,550.51 | 3,715.65 | 4,312.52 | 3,699.14 | 3,605.06 |
| Percent of Total | 21.2% | 21.7% | 20.4% | 20.8% | 22.1% | 21.7% | 23.7% | 23.6% | 24.7% |
| 35 to 44 Years | 548 | 506 | 536 | 538 | 509 | 452 | 479 | 385 | 359 |
| Population | 28,326 | 28,444 | 28,078 | 27,546 | 27,232 | 26,976 | 26,185 | 25,503 | 24,833 |
| Rate per 100,000 | 1,934.62 | 1,778.93 | 1,908.97 | 1,953.10 | 1,869.12 | 1,675.56 | 1,829.29 | 1,509.63 | 1,445.66 |
| Percent of Total | 27.0% | 28.4% | 26.4% | 24.9% | 23.2% | 20.2% | 20.7% | 18.9% | 18.1% |
| 45 to 54 Years | 361 | 309 | 395 | 415 | 350 | 442 | 428 | 408 | 394 |
| Population | 27,324 | 28,742 | 29,636 | 30,668 | 31,586 | 32,454 | 33,058 | 33,682 | 34,013 |
| Rate per 100,000 | 1,321.18 | 1,075.08 | 1,332.84 | 1,353.20 | 1,108.09 | 1,361.93 | 1,294.69 | 1,211.33 | 1,158.38 |
| Percent of Total | 17.8% | 17.3% | 19.5% | 19.2% | 16.0% | 19.8% | 18.5% | 20.1% | 19.9% |
| 55 to 64 Years | 96 | 93 | 80 | 100 | 149 | 157 | 139 | 126 | 137 |
| Population | 15,742 | 16,825 | 18,363 | 19,690 | 21,067 | 22,534 | 23,825 | 25,163 | 26,465 |
| Rate per 100,000 | 609.83 | 552.75 | 435.66 | 507.87 | 707.27 | 696.72 | 583.42 | 500.74 | 517.66 |
| Percent of Total | 4.7% | 5.2% | 3.9% | 4.6% | 6.8% | 7.0% | 6.0% | 6.2% | 6.9% |
| 65 Years and Older | 22 | 28 | 29 | 35 | 31 | 29 | 32 | 31 | 41 |
| Population 65 to 69 | 5,970 | 6,166 | 6,375 | 6,714 | 6,998 | 7,295 | 7,581 | 7,998 | 8,491 |
| Rate per 100,000 | 368.51 | 454.10 | 454.90 | 521.30 | 442.98 | 397.53 | 422.11 | 387.60 | 482.86 |
| Percent of Total | 1.1% | 1.6% | 1.4% | 1.6% | 1.4% | 1.3% | 1.4% | 1.5% | 2.1% |

Figure 4.5
El Dorado County
Alcohol Arrest
Rate per 100,000
Population by
Offender Age
Category




Table 4.6Number of Arrests for Felony and Misdemeanor Alcohol Offenses by Gender and Race/Ethnicity among Underage Offenders, Rate per 100,000 Population 10 to 17 Years, and Percent of Total Alcohol Arrests

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|-------------------------------------|----------|--------|----------|----------|--------|----------|----------|----------|--------|
| ALL ALCOHOL ARRESTS UNDER AGE 18 | 123 | 75 | 95 | 107 | 85 | 101 | 117 | 107 | 74 |
| Male | 87 | 57 | 68 | 78 | 62 | 68 | 82 | 71 | 46 |
| Population 10 to 17 | 10,639 | 11,041 | 11,299 | 11,466 | 11,630 | 11,638 | 11,444 | 11,331 | 11,124 |
| Rate per 100,000 | 817.75 | 516.26 | 601.82 | 680.27 | 533.10 | 584.29 | 716.53 | 626.60 | 413.52 |
| Percent of Total | 70.7% | 76.0% | 71.6% | 72.9% | 72.9% | 67.3% | 70.1% | 66.4% | 62.2% |
| Female | 36 | 18 | 27 | 29 | 23 | 33 | 35 | 36 | 28 |
| Population 10 to 17 | 10,165 | 10,596 | 10,845 | 10,874 | 10,918 | 10,935 | 10,697 | 10,481 | 10,186 |
| Rate per 100,000 | 354.16 | 169.88 | 248.96 | 266.69 | 210.66 | 301.78 | 327.19 | 343.48 | 274.89 |
| Percent of Total | 29.3% | 24.0% | 28.4% | 27.1% | 27.1% | 32.7% | 29.9% | 33.6% | 37.8% |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Population 10 to 17 | 186 | 186 | 183 | 179 | 170 | 160 | 163 | 150 | 140 |
| Rate per 100,000 | 2,150.54 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Percent of Total | 3.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Asian/Pacific Islander | 2 | 1 | 0 | 1 | 0 | 1 | 1 | 3 | 0 |
| Population 10 to 17 | 388 | 390 | 396 | 393 | 395 | 389 | 375 | 367 | 359 |
| Rate per 100,000 | 515.46 | 256.41 | 0.00 | 254.45 | 0.00 | 257.07 | 266.67 | 817.44 | 0.00 |
| Percent of Total | 1.6% | 1.3% | 0.0% | 0.9% | 0.0% | 1.0% | 0.9% | 2.8% | 0.0% |
| Black | 1 | 0 | 3 | 1 | 0 | 1 | 1 | 4 | 0 |
| Population 10 to 17 | 106 | 101 | 98 | 96 | 92 | 88 | 83 | 77 | 77 |
| Rate per 100,000 | 943.40 | 0.00 | 3,061.22 | 1,041.67 | 0.00 | 1,136.36 | 1,204.82 | 5,194.81 | 0.00 |
| Percent of Total | 0.8% | 0.0% | 3.2% | 0.9% | 0.0% | 1.0% | 0.9% | 3.7% | 0.0% |
| Hispanic | 13 | 8 | 12 | 6 | 7 | 13 | 11 | 13 | 12 |
| Population 10 to 17 | 2,411 | 2,567 | 2,691 | 2,824 | 2,933 | 3,016 | 3,014 | 3,018 | 3,014 |
| Rate per 100,000 | 539.20 | 311.65 | 445.93 | 212.46 | 238.66 | 431.03 | 364.96 | 430.75 | 398.14 |
| Percent of Total | 10.6% | 10.7% | 12.6% | 5.6% | 8.2% | 12.9% | 9.4% | 12.1% | 16.2% |
| White | 103 | 66 | 80 | 98 | 78 | 86 | 103 | 87 | 61 |
| Population 10 to 17 | 17,143 | 17,834 | 18,246 | 18,363 | 18,487 | 18,471 | 18,104 | 17,808 | 17,337 |
| Rate per 100,000 | 600.83 | 370.08 | 438.45 | 533.68 | 421.92 | 465.59 | 568.94 | 488.54 | 351.85 |
| Percent of Total | 83.7% | 88.0% | 84.2% | 91.6% | 91.8% | 85.1% | 88.0% | 81.3% | 82.4% |
| Other | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.9% | 0.0% | 0.0% | 0.9% | 0.0% | 1.4% |

Indicator 5: Alcohol-Involved Motor Vehicle Accidents

The number of alcohol-involved motor vehicle accidents and number of persons injured or killed and rate per 100,000 population

Table 5.1El Dorado County Fatalities in Alcohol-Involved Accidents and Rate per 100,000 Total Population with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Number of Fatalities | 10 | 8 | 15 | 14 | 9 | 4 | 14 | 11 | 9 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 | 183,399 |
| Rate per 100,000 | 6.30 | 4.92 | 9.04 | 8.28 | 5.22 | 2.28 | 7.88 | 6.09 | 4.91 |
| CALIFORNIA Rate per 100,000 | 3.62 | 3.76 | 3.99 | 4.01 | 4.00 | 4.26 | 4.27 | 3.94 | 3.54 |

Figure 5.1
El Dorado County
Alcohol-Involved
Accident Fatality
Rate per 100,000
Total Population
with Comparison
to Statewide Rates





Table 5.2Parties in Alcohol-Involved Accidents Who 'Had Been Drinking' by Party Gender and Rate per 100,000 Population, and Percent of Total

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL 'HAD BEEN DRINKING' DRIVERS | 349 | 316 | 368 | 363 | 334 | 345 | 373 | 334 | 288 |
| Male | 257 | 244 | 283 | 266 | 262 | 252 | 276 | 235 | 189 |
| Population | 79,143 | 81,125 | 82,782 | 84,378 | 86,027 | 87,672 | 88,678 | 90,102 | 91,529 |
| Rate per 100,000 | 324.73 | 300.77 | 341.86 | 315.25 | 304.56 | 287.43 | 311.24 | 260.82 | 206.49 |
| Percent of Total | 73.6% | 77.2% | 76.9% | 73.3% | 78.4% | 73.0% | 74.0% | 70.4% | 65.6% |
| Female | 86 | 68 | 68 | 87 | 65 | 87 | 93 | 95 | 90 |
| Population | 79,478 | 81,438 | 83,072 | 84,650 | 86,293 | 87,947 | 88,969 | 90,409 | 91,870 |
| Rate per 100,000 | 108.21 | 83.50 | 81.86 | 102.78 | 75.32 | 98.92 | 104.53 | 105.08 | 97.96 |
| Percent of Total | 24.6% | 21.5% | 18.5% | 24.0% | 19.5% | 25.2% | 24.9% | 28.4% | 31.3% |
| Unknown | 6 | 4 | 17 | 10 | 7 | 6 | 4 | 4 | 9 |
| Percent of Total | 1.7% | 1.3% | 4.6% | 2.8% | 2.1% | 1.7% | 1.1% | 1.2% | 3.1% |

Figure 5.2
El Dorado County
'Had Been
Drinking' Driver
Rate per 100,000
Population, by
Party Gender




Indicator 5: Alcohol-Involved Motor Vehicle Accidents (Continued)

Table 5.3El Dorado County Alcohol-Involved Accidents by Injury Severity, Rate per 100,000 Total Population, and Percent of Total

| | 2004 | 2005 | 2006 | 2007 | 2008 |
|----------------------------------|---------|---------|---------|---------|---------|
| TOTAL ALCOHOL-INVOLVED ACCIDENTS | 330 | 335 | 370 | 330 | 283 |
| Property Damage Only (PDO) | 152 | 154 | 182 | 160 | 146 |
| Total Population | 172,320 | 175,619 | 177,647 | 180,511 | 183,399 |
| Rate per 100,000 | 88.21 | 87.69 | 102.45 | 88.64 | 79.61 |
| Percent of Total | 46.1% | 46.0% | 49.2% | 48.5% | 51.6% |
| Injury - Complaint of Pain | 43 | 49 | 43 | 46 | 41 |
| Total Population | 172,320 | 175,619 | 177,647 | 180,511 | 183,399 |
| Rate per 100,000 | 24.95 | 27.90 | 24.21 | 25.48 | 22.36 |
| Percent of Total | 13.0% | 14.6% | 11.6% | 13.9% | 14.5% |
| Injury - Other Visible | 108 | 105 | 99 | 85 | 62 |
| Total Population | 172,320 | 175,619 | 177,647 | 180,511 | 183,399 |
| Rate per 100,000 | 62.67 | 59.79 | 55.73 | 47.09 | 33.81 |
| Percent of Total | 32.7% | 31.3% | 26.8% | 25.8% | 21.9% |
| Injury - Severe | 18 | 23 | 33 | 28 | 25 |
| Total Population | 172,320 | 175,619 | 177,647 | 180,511 | 183,399 |
| Rate per 100,000 | 10.45 | 13.10 | 18.58 | 15.51 | 13.63 |
| Percent of Total | 5.5% | 6.9% | 8.9% | 8.5% | 8.8% |
| Injury - Fatal | 9 | 4 | 13 | 11 | 9 |
| Total Population | 172,320 | 175,619 | 177,647 | 180,511 | 183,399 |
| Rate per 100,000 | 5.22 | 2.28 | 7.32 | 6.09 | 4.91 |
| Percent of Total | 2.7% | 1.2% | 3.5% | 3.3% | 3.2% |

Figure 5.3
El Dorado County
Alcohol-Involved
Accident Rate per
100,000 Total
Population, by
Injury Severity




Indicator 5: Alcohol-Involved Motor Vehicle Accidents (Continued)

Table 5.4Parties in Alcohol-Involved Accidents Who 'Had Been Drinking' by Party Race/Ethnicity, Rate per 100,000 Population, and Percent of Total

| | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------------------------|---------|---------|---------|---------|---------|---------|---------|
| TOTAL 'HAD BEEN DRINKING' DRIVERS | 368 | 363 | 334 | 345 | 373 | 334 | 288 |
| Black | 2 | 4 | 4 | 3 | 5 | 3 | 3 |
| Population | 784 | 786 | 792 | 796 | 804 | 812 | 820 |
| Rate per 100,000 | 255.10 | 508.91 | 505.05 | 376.88 | 621.89 | 369.46 | 365.85 |
| Percent of Total | 0.5% | 1.1% | 1.2% | 0.9% | 1.3% | 0.9% | 1.0% |
| Hispanic | 24 | 33 | 39 | 39 | 36 | 24 | 22 |
| Population | 16,085 | 16,722 | 17,374 | 18,068 | 18,636 | 19,238 | 19,848 |
| Rate per 100,000 | 149.21 | 197.34 | 224.47 | 215.85 | 193.17 | 124.75 | 110.84 |
| Percent of Total | 6.5% | 9.1% | 11.7% | 11.3% | 9.7% | 7.2% | 7.6% |
| White | 297 | 289 | 257 | 278 | 288 | 273 | 227 |
| Population | 141,112 | 143,599 | 146,181 | 148,678 | 150,142 | 152,303 | 154,480 |
| Rate per 100,000 | 210.47 | 201.25 | 175.81 | 186.98 | 191.82 | 179.25 | 146.94 |
| Percent of Total | 80.7% | 79.6% | 76.9% | 80.6% | 77.2% | 81.7% | 78.8% |
| Other/Unknown | 45 | 37 | 34 | 25 | 44 | 34 | 36 |
| Percent of Total | 12.2% | 10.2% | 10.2% | 7.2% | 11.8% | 10.2% | 12.5% |

Figure 5.4
El Dorado County
'Had Been
Drinking' Driver
Rate per 100,000
Population, by
Party Race/
Ethnicity




Indicator 5: Alcohol-Involved Motor Vehicle Accidents (Continued)

Table 5.5Parties in Alcohol-Involved Accidents Who 'Had Been Drinking' by Party Age Category and Rate per 100,000 Population, and Percent of Total

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL 'HAD BEEN DRINKING' DRIVERS | 349 | 316 | 368 | 363 | 334 | 345 | 373 | 334 | 288 |
| 17 Years and Under | 5 | 8 | 8 | 8 | 11 | 4 | 12 | 6 | 9 |
| Population | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 | 40,068 |
| Rate per 100,000 | 12.11 | 19.21 | 19.19 | 19.24 | 26.49 | 9.65 | 29.43 | 14.83 | 22.46 |
| Percent of Total | 1.4% | 2.5% | 2.2% | 2.2% | 3.3% | 1.2% | 3.2% | 1.8% | 3.1% |
| 18 to 24 Years | 70 | 74 | 93 | 95 | 83 | 85 | 97 | 91 | 58 |
| Population | 10,633 | 11,325 | 12,300 | 13,458 | 14,660 | 15,926 | 17,195 | 17,993 | 18,693 |
| Rate per 100,000 | 658.33 | 653.42 | 756.10 | 705.90 | 566.17 | 533.72 | 564.12 | 505.75 | 310.28 |
| Percent of Total | 20.1% | 23.4% | 25.3% | 26.2% | 24.9% | 24.6% | 26.0% | 27.2% | 20.1% |
| 25 to 34 Years | 79 | 68 | 68 | 78 | 80 | 63 | 73 | 70 | 59 |
| Population | 15,662 | 15,231 | 14,773 | 14,255 | 13,660 | 13,026 | 12,684 | 12,976 | 13,592 |
| Rate per 100,000 | 504.41 | 446.46 | 460.30 | 547.18 | 585.65 | 483.65 | 575.53 | 539.46 | 434.08 |
| Percent of Total | 22.6% | 21.5% | 18.5% | 21.5% | 24.0% | 18.3% | 19.6% | 21.0% | 20.5% |
| 35 to 44 Years | 92 | 82 | 90 | 71 | 63 | 69 | 80 | 66 | 59 |
| Population | 28,326 | 28,444 | 28,078 | 27,546 | 27,232 | 26,976 | 26,185 | 25,503 | 24,833 |
| Rate per 100,000 | 324.79 | 288.29 | 320.54 | 257.75 | 231.35 | 255.78 | 305.52 | 258.79 | 237.59 |
| Percent of Total | 26.4% | 25.9% | 24.5% | 19.6% | 18.9% | 20.0% | 21.4% | 19.8% | 20.5% |
| 45 to 54 Years | 67 | 50 | 63 | 67 | 48 | 76 | 76 | 66 | 62 |
| Population | 27,324 | 28,742 | 29,636 | 30,668 | 31,586 | 32,454 | 33,058 | 33,682 | 34,013 |
| Rate per 100,000 | 245.21 | 173.96 | 212.58 | 218.47 | 151.97 | 234.18 | 229.90 | 195.95 | 182.28 |
| Percent of Total | 19.2% | 15.8% | 17.1% | 18.5% | 14.4% | 22.0% | 20.4% | 19.8% | 21.5% |
| 55 to 64 Years | 16 | 17 | 13 | 24 | 26 | 31 | 23 | 21 | 23 |
| Population | 15,742 | 16,825 | 18,363 | 19,690 | 21,067 | 22,534 | 23,825 | 25,163 | 26,465 |
| Rate per 100,000 | 101.64 | 101.04 | 70.79 | 121.89 | 123.42 | 137.57 | 96.54 | 83.46 | 86.91 |
| Percent of Total | 4.6% | 5.4% | 3.5% | 6.6% | 7.8% | 9.0% | 6.2% | 6.3% | 8.0% |
| 65 Years and Older | 7 | 10 | 11 | 7 | 9 | 9 | 5 | 9 | 9 |
| Population | 19,659 | 20,347 | 21,022 | 21,837 | 22,594 | 23,264 | 23,919 | 24,733 | 25,735 |
| Rate per 100,000 | 35.61 | 49.15 | 52.33 | 32.06 | 39.83 | 38.69 | 20.90 | 36.39 | 34.97 |
| Percent of Total | 2.0% | 3.2% | 3.0% | 1.9% | 2.7% | 2.6% | 1.3% | 2.7% | 3.1% |
| Other/Unknown | 13 | 7 | 22 | 13 | 14 | 8 | 7 | 5 | 9 |
| Percent of Total | 3.7% | 2.2% | 6.0% | 3.6% | 4.2% | 2.3% | 1.9% | 1.5% | 3.1% |

Figure 5.5
El Dorado County
'Had Been
Drinking' Driver
Rate per 100,000
Population, by
Party Age Category



Indicator 6: Hospitalizations Due to Alcohol and Drug Use

The number of hospital admissions due to alcohol and drug-related causes and rate per 100,000 population.

Table 6.1Hospitalizations Due to Alcohol- *and* Drug-Related Causes (Combined) and Rate per 100,000 Total Population with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Number of Hospitalizations | 287 | 257 | 280 | 294 | 335 | 291 | 322 | 307 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 |
| Rate per 100,000 | 180.93 | 158.09 | 168.82 | 173.94 | 194.41 | 165.70 | 181.26 | 170.07 |
| CALIFORNIA Rate per 100,000 | 222.67 | 218.35 | 217.21 | 215.37 | 211.97 | 204.50 | 201.00 | 205.44 |

Figure 6.1
El Dorado County
Alcohol- and DrugRelated
Hospitalization
Rate per 100,000
Total Population
with Comparison
to Statewide Rates




Table 6.2Hospitalizations Due to Alcohol- *and* Drug-Related Causes (Combined) by Patient Gender, Rate per 100,000 Population, and Percent of Total Hospitalizations

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|----------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| AOD HOSPITALIZATIONS | 287 | 257 | 280 | 294 | 335 | 291 | 322 | 307 |
| Male | 88 | 86 | 87 | 92 | 121 | 104 | 103 | 101 |
| Population | 79,143 | 81,125 | 82,782 | 84,378 | 86,027 | 87,672 | 88,678 | 90,102 |
| Rate per 100,000 | 111.19 | 106.01 | 105.10 | 109.03 | 140.65 | 118.62 | 116.15 | 112.10 |
| Percent of Total | 30.66% | 33.46% | 31.07% | 31.29% | 36.12% | 35.74% | 31.99% | 32.90% |
| Female | 75 | 80 | 92 | 109 | 108 | 109 | 110 | 122 |
| Population | 79,478 | 81,438 | 83,072 | 84,650 | 86,293 | 87,947 | 88,969 | 90,409 |
| Rate per 100,000 | 94.37 | 98.23 | 110.75 | 128.77 | 125.15 | 123.94 | 123.64 | 134.94 |
| Percent of Total | 26.13% | 31.13% | 32.86% | 37.07% | 32.24% | 37.46% | 34.16% | 39.74% |
| Unknown | 124 | 91 | 101 | 93 | 106 | 78 | 109 | 84 |
| Percent of Total | 43.21% | 35.41% | 36.07% | 31.63% | 31.64% | 26.80% | 33.85% | 27.36% |

Figure 6.2
El Dorado County
AOD-Related
Hospitalization
Rate per 100,000
Population by
Patient Gender




Table 6.3Hospitalizations Due to *Alcohol*-Related Causes and Rate per 100,000 Total Population with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Number of Hospitalizations | 158 | 111 | 118 | 140 | 161 | 130 | 149 | 119 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 |
| Rate per 100,000 | 99.61 | 68.28 | 71.15 | 82.83 | 93.43 | 74.02 | 83.87 | 65.92 |
| CALIFORNIA Rate per 100,000 | 101.28 | 97.26 | 93.96 | 89.36 | 88.54 | 85.10 | 88.17 | 91.05 |

Figure 6.3
El Dorado County
Alcohol -Related
Hospitalization
Rate per 100,000
Total Population
with Comparison
to Statewide Rates




Table 6.4Hospitalizations Due to *Drug*-Related Causes and Rate per 100,000 Total Population with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Number of Hospitalizations | 129 | 146 | 162 | 154 | 174 | 161 | 173 | 188 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 |
| Rate per 100,000 | 81.33 | 89.81 | 97.68 | 91.11 | 100.97 | 91.68 | 97.38 | 104.15 |
| CALIFORNIA Rate per 100,000 | 121.44 | 121.12 | 123.27 | 126.04 | 123.43 | 119.40 | 112.84 | 114.39 |

Figure 6.4
El Dorado County
Drug -Related
Hospitalization
Rate per 100,000
Total Population
with Comparison
to Statewide Rates




Table 6.5Hospitalizations Due to *Alcohol*-Related Causes by Specific Cause and Rate per 100,000 Total Population

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--|-------|-------|-------|-------|-------|-------|-------|-------|
| TOTAL ALCOHOL-RELATED HOSPITALIZATIONS | 158 | 111 | 118 | 140 | 161 | 130 | 149 | 119 |
| Alcohol Abuse | 9 | 5 | 6 | 5 | 3 | 4 | 6 | 7 |
| Rate per 100,000 | 5.67 | 3.08 | 3.62 | 2.96 | 1.74 | 2.28 | 3.38 | 3.88 |
| Alcohol Cardiomyopathy | 0 | 2 | 0 | 0 | 1 | 1 | 2 | 1 |
| Rate per 100,000 | 0.00 | 1.23 | 0.00 | 0.00 | 0.58 | 0.57 | 1.13 | 0.55 |
| Alcohol Dependence Syndrome | 30 | 20 | 16 | 11 | 7 | 7 | 12 | 9 |
| Rate per 100,000 | 18.91 | 12.30 | 9.65 | 6.51 | 4.06 | 3.99 | 6.75 | 4.99 |
| Alcohol Dependent Abuse | 28 | 16 | 17 | 13 | 25 | 22 | 15 | 15 |
| Rate per 100,000 | 7.06 | 3.94 | 4.10 | 3.08 | 5.80 | 5.01 | 3.38 | 3.32 |
| Alcohol Poisoning | 2 | 4 | 2 | 5 | 5 | 1 | 3 | 5 |
| Rate per 100,000 | 1.26 | 2.46 | 1.21 | 2.96 | 2.90 | 0.57 | 1.69 | 2.77 |
| Alcohol Polyneuropathy | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.60 | 0.00 | 0.00 | 1.14 | 0.00 | 0.00 |
| Alcohol Psychosis | 45 | 32 | 36 | 42 | 55 | 56 | 60 | 47 |
| Rate per 100,000 | 28.37 | 19.68 | 21.71 | 24.85 | 31.92 | 31.89 | 33.77 | 26.04 |
| Alcoholic Gastritis | 6 | 3 | 3 | 12 | 8 | 3 | 7 | 8 |
| Rate per 100,000 | 3.78 | 1.85 | 1.81 | 7.10 | 4.64 | 1.71 | 3.94 | 4.43 |
| Alcoholic Liver Disease | 38 | 29 | 37 | 52 | 57 | 34 | 44 | 27 |
| Rate per 100,000 | 23.96 | 17.84 | 22.31 | 30.76 | 33.08 | 19.36 | 24.77 | 14.96 |
| Fetal Alcohol Syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Table 6.6Hospitalizations Due to *Drug*-Related Causes by Specific Cause and Rate per 100,000 Total Population

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|---------------------------------------|-----------|-----------|-------|-------|-------|-------|-------|-----------|
| TOTAL DRUG-RELATED HOSPITALIZATIONS | 129 | 146 | 162 | 154 | 174 | 161 | 173 | 188 |
| Drug Psychosis | 22 | 24 | 24 | 16 | 36 | 23 | 26 | 32 |
| Rate per 100,000 | 13.87 | 14.76 | 14.47 | 9.47 | 20.89 | 13.10 | 14.64 | 17.73 |
| Drug Polyneuropathy | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.58 | 0.00 | 0.00 | 0.55 |
| Dependence | | | | | | | | |
| Barbituates | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| Rate per 100,000 | 0.63 | 0.00 | 0.00 | 0.00 | 0.58 | 0.57 | 0.00 | 0.00 |
| Cannabis | 0 | 2 | 1 | 0 | 1 | 1 | 0 | 0 |
| Rate per 100,000 | 0.00 | 1.23 | 0.60 | 0.00 | 0.58 | 0.57 | 0.00 | 0.00 |
| Cocaine | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Rate per 100,000 | 0.63 | 0.00 | 0.60 | 0.00 | 0.58 | 0.00 | 0.00 | 0.00 |
| Hallucinogen | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Inhalant | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.60 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Morphine | 6 | 3 | 6 | 7 | 3 | 4 | 7 | 4 |
| Rate per 100,000 | 3.78 | 1.85 | 3.62 | 4.14 | 1.74 | 2.28 | 3.94 | 2.22 |
| Stimulant | 1 | 4 | 0 | 2 | 2 | 0 | 2 | 0 |
| Rate per 100,000 | 0.63 | 2.46 | 0.00 | 1.18 | 1.16 | 0.00 | 1.13 | 0.00 |
| Combination | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 1 |
| Rate per 100,000 | 0.63 | 1.23 | 1.21 | 1.18 | 1.16 | 0.57 | 1.13 | 0.55 |
| Unspecified | 5 | 0 | 2 | 0 | 0 | 2 | 0 | 0 |
| Rate per 100,000 | 3.15 | 0.00 | 1.21 | 0.00 | 0.00 | 1.14 | 0.00 | 0.00 |
| Maternal Drug Dependence | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 1.18 | 0.00 | 0.00 | 0.00 | 0.00 |
| Abuse | 0 | 0 | 0 | 4 | 4 | 0 | 4 | 4 |
| Amphetamine | 0 0.00 | 3 1.85 | 0 | 1 | 1 | 2 | 1 | 1 0.55 |
| Rate per 100,000 | 0.00 | | 0.00 | 0.59 | 0.58 | 1.14 | 0.56 | |
| Antidepressant Rate per 100,000 | 0.00 | 0 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0 0.00 |
| Cannabis | 1 | 0.00 | 0.00 | 1 | 0.00 | 0.00 | 0.00 | 0.00 |
| Rate per 100,000 | 0.63 | 0.00 | 0.00 | 0.59 | 0.00 | 0.00 | 0.00 | 0.00 |
| Cocaine | 1 | 0.00 | 0.00 | 0.39 | 2 | 0.00 | 0.00 | 0.00 |
| Rate per 100,000 | 0.63 | 0.00 | 0.00 | 0.00 | 1.16 | 0.00 | 0.00 | 0.00 |
| Hallucinogen | 0.03 | 0.00 | 0.00 | 0.00 | 0 | 0.00 | 1 | 0.00 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.56 | 0.00 |
| Morphine | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 0 |
| Rate per 100,000 | 0.63 | 0.62 | 0.00 | 0.00 | 0.00 | 1.14 | 0.56 | 0.00 |
| Sedative | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.60 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Other, Mixed or Unspecified | 4 | 1 | 0 | 1 | 1 | 1 | 0 | 1 |
| Rate per 100,000 | 2.52 | 0.62 | 0.00 | 0.59 | 0.58 | 0.57 | 0.00 | 0.55 |
| Accidental Drug Poisonings | 40 | 51 | 59 | 64 | 58 | 63 | 52 | 66 |
| Rate per 100,000 | 25.22 | 31.37 | 35.57 | 37.86 | 33.66 | 35.87 | 29.27 | 36.56 |
| Other Drug Poisonings | 4 | 9 | 6 | 4 | 10 | 9 | 16 | 17 |
| Rate per 100,000 | 2.52 | 5.54 | 3.62 | 2.37 | 5.80 | 5.12 | 9.01 | 9.42 |
| Self-Inflicted Drug Poisonings | 41 | 46 | 58 | 54 | 54 | 51 | 64 | 64 |
| Rate per 100,000 | 25.85 | 28.30 | 34.97 | 31.95 | 31.34 | 29.04 | 36.03 | 35.45 |
| Drug Exposure in Newborns | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.60 | 0.00 | 0.00 | 0.57 | 0.00 | 0.00 |
| Fetal Damage due to Maternal Drug Use | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.58 | 0.00 | 0.56 | 0.55 |

Table 6.7Hospitalizations Due to Alcohol- *and* Drug-Related Causes (Combined) by Patient Race/Ethnicity, Rate per 100,000 Population, and Percent of Total Hospitalizations

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| TOTAL AOD-RELATED HOSPITALIZATIONS | 287 | 257 | 280 | 294 | 335 | 291 | 322 | 307 |
| American Indian | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Population | 1,306 | 1,309 | 1,309 | 1,308 | 1,307 | 1,315 | 1,323 | 1,331 |
| Rate per 100,000 | 0.00 | 0.00 | 76.39 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Percent of Total | 0.0% | 0.0% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Asian/Pacific Islander | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Population | 3,523 | 3,545 | 3,571 | 3,603 | 3,630 | 3,673 | 3,725 | 3,778 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 27.55 | 0.00 | 0.00 | 26.47 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.3% | 0.0% | 0.0% | 0.3% |
| Black | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Population | 776 | 779 | 784 | 786 | 792 | 796 | 804 | 812 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Hispanic | 1 | 0 | 3 | 3 | 0 | 8 | 1 | 2 |
| Population | 14,787 | 15,453 | 16,085 | 16,722 | 17,374 | 18,068 | 18,636 | 19,238 |
| Rate per 100,000 | 6.76 | 0.00 | 18.65 | 17.94 | 0.00 | 44.28 | 5.37 | 10.40 |
| Percent of Total | 0.3% | 0.0% | 1.1% | 1.0% | 0.0% | 2.7% | 0.3% | 0.7% |
| White | 154 | 156 | 170 | 185 | 212 | 190 | 192 | 200 |
| Population | 135,355 | 138,547 | 141,112 | 143,599 | 146,181 | 148,678 | 150,142 | 152,303 |
| Rate per 100,000 | 113.77 | 112.60 | 120.47 | 128.83 | 145.03 | 127.79 | 127.88 | 131.32 |
| Percent of Total | 53.7% | 60.7% | 60.7% | 62.9% | 63.3% | 65.3% | 59.6% | 65.1% |
| Other/Unknown | 132 | 101 | 106 | 106 | 122 | 93 | 129 | 104 |
| Percent of Total | 46.0% | 39.3% | 37.9% | 36.1% | 36.4% | 32.0% | 40.1% | 33.9% |

Figure 6.5
El Dorado County
AOD-Related
Hospitalization
Rate per 100,000
Population by
Patient Race/
Ethnicity





Table 6.8Hospitalizations Due to Alcohol- *and* Drug-Related Causes (Combined) by Patient Age Category, Rate per 100,000 Population, and Percent of Total Hospitalizations

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL AOD-RELATED HOSPITALIZATIONS | 287 | 257 | 280 | 294 | 335 | 291 | 322 | 307 |
| 17 Years and Under | 3 | 3 | 5 | 0 | 0 | 0 | 4 | 5 |
| Population | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 |
| Rate per 100,000 | 7.27 | 7.20 | 12.00 | 0.00 | 0.00 | 0.00 | 9.81 | 12.36 |
| Percent of Total | 1.0% | 1.2% | 1.8% | 0.0% | 0.0% | 0.0% | 1.2% | 1.6% |
| 18 to 24 Years | 4 | 2 | 2 | 5 | 5 | 6 | 5 | 5 |
| Population | 10,633 | 11,325 | 12,300 | 13,458 | 14,660 | 15,926 | 17,195 | 17,993 |
| Rate per 100,000 | 37.62 | 17.66 | 16.26 | 37.15 | 34.11 | 37.67 | 29.08 | 27.79 |
| Percent of Total | 1.4% | 0.8% | 0.7% | 1.7% | 1.5% | 2.1% | 1.6% | 1.6% |
| 25 to 34 Years | 3 | 4 | 6 | 7 | 8 | 7 | 7 | 3 |
| Population | 15,662 | 15,231 | 14,773 | 14,255 | 13,660 | 13,026 | 12,684 | 12,976 |
| Rate per 100,000 | 19.15 | 26.26 | 40.61 | 49.11 | 58.57 | 53.74 | 55.19 | 23.12 |
| Percent of Total | 1.0% | 1.6% | 2.1% | 2.4% | 2.4% | 2.4% | 2.2% | 1.0% |
| 35 to 44 Years | 21 | 15 | 33 | 26 | 22 | 16 | 12 | 16 |
| Population | 28,326 | 28,444 | 28,078 | 27,546 | 27,232 | 26,976 | 26,185 | 25,503 |
| Rate per 100,000 | 74.14 | 52.74 | 117.53 | 94.39 | 80.79 | 59.31 | 45.83 | 62.74 |
| Percent of Total | 7.3% | 5.8% | 11.8% | 8.8% | 6.6% | 5.5% | 3.7% | 5.2% |
| 45 to 54 Years | 27 | 35 | 37 | 48 | 55 | 45 | 43 | 48 |
| Population | 27,324 | 28,742 | 29,636 | 30,668 | 31,586 | 32,454 | 33,058 | 33,682 |
| Rate per 100,000 | 98.81 | 121.77 | 124.85 | 156.51 | 174.13 | 138.66 | 130.07 | 142.51 |
| Percent of Total | 9.4% | 13.6% | 13.2% | 16.3% | 16.4% | 15.5% | 13.4% | 15.6% |
| 55 to 64 Years | 12 | 12 | 20 | 22 | 32 | 24 | 25 | 29 |
| Population | 15,742 | 16,825 | 18,363 | 19,690 | 21,067 | 22,534 | 23,825 | 25,163 |
| Rate per 100,000 | 76.23 | 71.32 | 108.91 | 111.73 | 151.90 | 106.51 | 104.93 | 115.25 |
| Percent of Total | 4.2% | 4.7% | 7.1% | 7.5% | 9.6% | 8.2% | 7.8% | 9.4% |
| 65 Years and Older | 31 | 36 | 22 | 28 | 39 | 34 | 26 | 44 |
| Population | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 |
| Rate per 100,000 | 75.11 | 86.44 | 52.78 | 67.35 | 93.93 | 82.05 | 63.76 | 108.75 |
| Percent of Total | 10.8% | 14.0% | 7.9% | 9.5% | 11.6% | 11.7% | 8.1% | 14.3% |
| Other/Unknown | 186 | 150 | 155 | 158 | 174 | 159 | 200 | 157 |
| Percent of Total | 64.8% | 58.4% | 55.4% | 53.7% | 51.9% | 54.6% | 62.1% | 51.1% |

Figure 6.6
El Dorado County
AOD-Related
Hospitalization
Rate per 100,000
Population by
Patient Age
Category



Indicator 7: Deaths Due to Alcohol and Drug Use

The number of deaths due to alcohol and drug-related causes and age adjusted death rate per 100,000 population.

Table 7.1Deaths Due to Alcohol- *and* Drug-Related Causes (Combined) and Age-Adjusted Rate per 100,000 with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Number of Deaths | 24 | 32 | 40 | 42 | 37 | 42 | 49 | 53 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 |
| Rate per 100,000 | 14.51 | 18.91 | 21.42 | 23.61 | 17.86 | 21.20 | 25.82 | 26.82 |
| CALIFORNIA Rate per 100,000 | 19.03 | 19.22 | 20.10 | 20.90 | 20.86 | 21.40 | 21.27 | 21.46 |

Figure 7.1
El Dorado County
Mortality AgeAdjusted Rate per
100,000 Total
Population with
Comparison to
Statewide Rates




Table 7.2Deaths Due to Alcohol- *and* Drug-Related Causes (Combined) by Gender of Decedent, Rate per 100,000 Total Population, and Percent of Total AOD-Related Deaths

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL AOD-RELATED DEATHS | 24 | 32 | 40 | 42 | 37 | 42 | 49 | 53 |
| Male | 15 | 17 | 22 | 27 | 25 | 29 | 28 | 33 |
| Population | 79,143 | 81,125 | 82,782 | 84,378 | 86,027 | 87,672 | 88,678 | 90,102 |
| Rate per 100,000 | 18.95 | 20.96 | 26.58 | 32.00 | 29.06 | 33.08 | 31.57 | 36.63 |
| Percent of Total | 62.50% | 53.13% | 55.00% | 64.29% | 67.57% | 69.05% | 57.14% | 62.26% |
| Female | 9 | 15 | 18 | 15 | 12 | 13 | 21 | 20 |
| Population | 79,478 | 81,438 | 83,072 | 84,650 | 86,293 | 87,947 | 88,969 | 90,409 |
| Rate per 100,000 | 11.32 | 18.42 | 21.67 | 17.72 | 13.91 | 14.78 | 23.60 | 22.12 |
| Percent of Total | 37.50% | 46.88% | 45.00% | 35.71% | 32.43% | 30.95% | 42.86% | 37.74% |

Figure 7.2
El Dorado County
AOD-Related
Mortality Rate per
100,000
Population by
Decedent Gender




Table 7.3Deaths Due to *Alcohol*-Related Causes and Rate per 100,000 Total Population, with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Number of Deaths | 17 | 14 | 18 | 17 | 15 | 17 | 14 | 18 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 |
| Rate per 100,000 | 10.72 | 8.61 | 10.85 | 10.06 | 8.70 | 9.68 | 7.88 | 9.97 |
| CALIFORNIA Rate per 100,000 | 10.17 | 10.45 | 9.96 | 10.42 | 10.29 | 10.79 | 10.47 | 10.59 |

Figure 7.3
El Dorado County
Alcohol-Related
Mortality Rate per
100,000
Population with
Comparison to
Statewide Rates




Table 7.4Deaths Due to *Drug*-Related Causes and Rate per 100,000 Total Population, with Comparison to Statewide Rates

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Number of Deaths | 7 | 18 | 22 | 25 | 22 | 25 | 35 | 35 |
| Total Population | 158,621 | 162,563 | 165,854 | 169,028 | 172,320 | 175,619 | 177,647 | 180,511 |
| Rate per 100,000 | 4.41 | 11.07 | 13.26 | 14.79 | 12.77 | 14.24 | 19.70 | 19.39 |
| CALIFORNIA Rate per 100 000 | 7.86 | 7.91 | 9.41 | 9.91 | 10.22 | 10.48 | 10.88 | 11.15 |

Figure 7.4
El Dorado County
Drug-Related
Mortality Rate per
100,000
Population with
Comparison to
Statewide Rates




Table 7.5Deaths Due to *Alcohol*-Related Causes by Specific Cause, and Rate per 100,000 Total Population

| | 2000 | 2001 | 2002 | 2002 | 2004 | 2005 | 2006 | 2007 |
|--|------|------|------|------|------|------|------|------|
| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
| TOTAL ALCOHOL-RELATED DEATHS | 17 | 14 | 18 | 17 | 15 | 17 | 14 | 18 |
| Alcohol Psychosis | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 1.89 | 0.00 | 1.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Alcohol Abuse | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 0 |
| Rate per 100,000 | 0.63 | 0.00 | 0.60 | 0.00 | 0.00 | 0.57 | 0.56 | 0.00 |
| Alcohol Dependence Syndrome | 0 | 2 | 3 | 2 | 0 | 0 | 1 | 3 |
| Rate per 100,000 | 0.00 | 1.23 | 1.81 | 1.18 | 0.00 | 0.00 | 0.56 | 1.66 |
| Alcoholic Polyneuropathy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Degeneration of the Nervous System | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Alcoholic Myopathy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Alcoholic Cardiomyopathy | 1 | 0 | 1 | 2 | 1 | 0 | 0 | 0 |
| Rate per 100,000 | 0.63 | 0.00 | 0.60 | 1.18 | 0.58 | 0.00 | 0.00 | 0.00 |
| Alcoholic Gastritis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Alcoholic Liver Disease | 11 | 11 | 11 | 13 | 14 | 16 | 12 | 13 |
| Rate per 100,000 | 6.93 | 6.77 | 6.63 | 7.69 | 8.12 | 9.11 | 6.75 | 7.20 |
| Fetal Alcohol Syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Fetus and Newborn Affect by Maternal Use of Alcohol | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Alcohol Poisoning | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Rate per 100,000 | 0.63 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.11 |
| Intentional Self-Poisoning (Alcohol) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Excessive Blood Level of Alcohol | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Alcohol-Induced Pancreatitis | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.62 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Table 7.6Deaths Due to *Drug*-Related Causes by Specific Cause, and Rate per 100,000 Total Population

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--|------|------|------|------|------|-------|-------|-------|
| TOTAL DRUG-RELATED DEATHS | 7 | 18 | 22 | 25 | 22 | 25 | 35 | 35 |
| Accidental Drug Poisoning | 4 | 13 | 10 | 9 | 9 | 20 | 25 | 32 |
| Rate per 100,000 | 2.52 | 8.00 | 6.03 | 5.32 | 5.22 | 11.39 | 14.07 | 17.73 |
| Intentional Self-Poisoning (Drug) | 0 | 4 | 4 | 5 | 0 | 2 | 7 | 2 |
| Rate per 100,000 | 0.00 | 2.46 | 2.41 | 2.96 | 0.00 | 1.14 | 3.94 | 1.11 |
| Intentional Poisoning (Assault) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Other Drug Poisonings | 3 | 0 | 8 | 10 | 13 | 3 | 3 | 0 |
| Rate per 100,000 | 1.89 | 0.00 | 4.82 | 5.92 | 7.54 | 1.71 | 1.69 | 0.00 |
| Fetus and Newborn Affect by Maternal Use of Drugs | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Mental and Behavioral Disorders due to Use of | | | | | | | | |
| Cannabinoids | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Cocaine | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.59 | 0.00 | 0.00 | 0.00 | 0.00 |
| Hallucinogens | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Opioids | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.55 |
| Other Psychoactive Substances | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Sedatives or Hypnotics | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Solvents | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Stimulants | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rate per 100,000 | 0.00 | 0.62 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Table 7.7Deaths Due to Alcohol- *and* Drug-Related Causes (Combined) by Race/Ethnicity of Decedent, Rate per 100,000 Total Population, and Percent of Total AOD-Related Deaths

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| TOTAL AOD-RELATED DEATHS | 24 | 32 | 40 | 42 | 37 | 42 | 49 | 53 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Population | 1,306 | 1,309 | 1,309 | 1,308 | 1,307 | 1,315 | 1,323 | 1,331 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 75.59 | 75.13 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2.0% | 1.9% |
| Asian/Pacific Islander | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| Population | 3,523 | 3,545 | 3,571 | 3,603 | 3,630 | 3,673 | 3,725 | 3,778 |
| Rate per 100,000 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 27.23 | 26.85 | 0.00 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2.4% | 2.0% | 0.0% |
| Black | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Population | 776 | 779 | 784 | 786 | 792 | 796 | 804 | 812 |
| Rate per 100,000 | 0.00 | 128.37 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Percent of Total | 0.0% | 3.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Hispanic | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 2 |
| Population | 14,787 | 15,453 | 16,085 | 16,722 | 17,374 | 18,068 | 18,636 | 19,238 |
| Rate per 100,000 | 6.76 | 12.94 | 12.43 | 11.96 | 11.51 | 5.53 | 10.73 | 10.40 |
| Percent of Total | 4.2% | 6.3% | 5.0% | 4.8% | 5.4% | 2.4% | 4.1% | 3.8% |
| White | 23 | 29 | 38 | 40 | 35 | 40 | 45 | 50 |
| Population | 135,355 | 138,547 | 141,112 | 143,599 | 146,181 | 148,678 | 150,142 | 152,303 |
| Rate per 100,000 | 16.99 | 20.93 | 26.93 | 27.86 | 23.94 | 26.90 | 29.97 | 32.83 |
| Percent of Total | 95.8% | 90.6% | 95.0% | 95.2% | 94.6% | 95.2% | 91.8% | 94.3% |
| Other | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Percent of Total | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

Figure 7.5
El Dorado County
AOD-Related
Mortality Rate per
100,000
Population by
Decedent Race/
Ethnicity





Table 7.8Deaths Due to Alcohol- *and* Drug-Related Causes (Combined) by Age Category of Decedent, Rate per 100,000 Total Population, and Percent of Total AOD-Related Deaths

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|--------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| TOTAL AOD-RELATED DEATHS | 24 | 32 | 40 | 42 | 37 | 42 | 49 | 53 |
| 17 Years and Under | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 |
| Population | 41,275 | 41,649 | 41,682 | 41,574 | 41,521 | 41,439 | 40,781 | 40,461 |
| Rate per 100,000 | 0.00 | 4.80 | 0.00 | 0.00 | 2.41 | 0.00 | 0.00 | 0.00 |
| Percent of Total | 0.0% | 6.3% | 0.0% | 0.0% | 2.7% | 0.0% | 0.0% | 0.0% |
| 18 to 24 Years | 0 | 0 | 1 | 1 | 2 | 1 | 2 | 2 |
| Population | 10,633 | 11,325 | 12,300 | 13,458 | 14,660 | 15,926 | 17,195 | 17,993 |
| Rate per 100,000 | 0.00 | 0.00 | 8.13 | 7.43 | 13.64 | 6.28 | 11.63 | 11.12 |
| Percent of Total | 0.0% | 0.0% | 2.5% | 2.4% | 5.4% | 2.4% | 4.1% | 3.8% |
| 25 to 34 Years | 2 | 3 | 1 | 6 | 1 | 2 | 4 | 6 |
| Population | 15,662 | 15,231 | 14,773 | 14,255 | 13,660 | 13,026 | 12,684 | 12,976 |
| Rate per 100,000 | 12.77 | 19.70 | 6.77 | 42.09 | 7.32 | 15.35 | 31.54 | 46.24 |
| Percent of Total | 8.3% | 9.4% | 2.5% | 14.3% | 2.7% | 4.8% | 8.2% | 11.3% |
| 35 to 44 Years | 5 | 8 | 11 | 7 | 6 | 11 | 14 | 6 |
| Population | 28,326 | 28,444 | 28,078 | 27,546 | 27,232 | 26,976 | 26,185 | 25,503 |
| Rate per 100,000 | 17.65 | 28.13 | 39.18 | 25.41 | 22.03 | 40.78 | 53.47 | 23.53 |
| Percent of Total | 20.8% | 25.0% | 27.5% | 16.7% | 16.2% | 26.2% | 28.6% | 11.3% |
| 45 to 54 Years | 5 | 10 | 9 | 16 | 16 | 15 | 15 | 25 |
| Population | 27,324 | 28,742 | 29,636 | 30,668 | 31,586 | 32,454 | 33,058 | 33,682 |
| Rate per 100,000 | 18.30 | 34.79 | 30.37 | 52.17 | 50.66 | 46.22 | 45.37 | 74.22 |
| Percent of Total | 20.8% | 31.3% | 22.5% | 38.1% | 43.2% | 35.7% | 30.6% | 47.2% |
| 55 to 64 Years | 2 | 0 | 12 | 5 | 10 | 9 | 10 | 8 |
| Population | 15,742 | 16,825 | 18,363 | 19,690 | 21,067 | 22,534 | 23,825 | 25,163 |
| Rate per 100,000 | 12.70 | 0.00 | 65.35 | 25.39 | 47.47 | 39.94 | 41.97 | 31.79 |
| Percent of Total | 8.3% | 0.0% | 30.0% | 11.9% | 27.0% | 21.4% | 20.4% | 15.1% |
| 65 Years and Older | 10 | 9 | 6 | 7 | 1 | 4 | 4 | 6 |
| Population | 19,659 | 20,347 | 21,022 | 21,837 | 22,594 | 23,264 | 23,919 | 24,733 |
| Rate per 100,000 | 50.87 | 44.23 | 28.54 | 32.06 | 4.43 | 17.19 | 16.72 | 24.26 |
| Percent of Total | 41.7% | 28.1% | 15.0% | 16.7% | 2.7% | 9.5% | 8.2% | 11.3% |

Figure 7.6
El Dorado County
AOD-Related
Mortality Rate per
100,000
Population by
Decedent Age
Category



SOURCES

| Agency | Print and Electronic Data Sources California Health Interview Survey (CHIS) 2008 | | |
|--|---|--|--|
| UCLA Center for Health Policy Research, California Department of Health Services, Public Health Institute | | | |
| California Department of Alcohol and Drug Programs (ADP) | California Alcohol and Drug Data System (CADDS) Admissions Data 2000–2005 | | |
| | California Outcome Measurement System (CalOMS) Admissions Data 2006–2008 | | |
| California Department of Justice, Office of the Attorney General, Criminal Justice Statistics Center | California Arrest Data 2000- 2008 | | |
| California Highway Patrol (CHP) | Statewide Integrated Traffic Records System (SWITRS) 2000–2008 | | |
| Office of Statewide Health Planning and Development (OSHPD) | California Hospital Discharge Data Set, 2000–2007 | | |
| California Department of Public Health, Vital Statistics | Death Statistical Masterfile 2000–2007 | | |
| Section | California Health Status Profiles 2006 | | |
| | UCLA Center for Health Policy Research, California Department of Health Services, Public Health Institute California Department of Alcohol and Drug Programs (ADP) California Department of Justice, Office of the Attorney General, Criminal Justice Statistics Center California Highway Patrol (CHP) Office of Statewide Health Planning and Development (OSHPD) California Department of Public Health, Vital Statistics | | |

This publication was prepared by the Center for Applied Research Solutions (CARS), Inc.'s Community Prevention Initiative (CPI) Technical Assistance and Training contract funded by the California Department of Alcohol and Drug Programs (ADP).

Center for Applied Research Solutions (CARS), Inc.

923 College Avenue
Santa Rosa, CA 95404
Phone: (707) 568-3800
Fax: (707) 568-3810
Toll Free 1-877-568-4227 (1-877-568-4CARS)
www.cars-rp.org



